

# **Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 126.**

## List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus crinitus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus esculentus* (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus manihot* (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus moschatus* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abies densa* W. Griff. ex. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abies pindrow* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abies spectabilis* (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abies webbiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abrus fruticulosus* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abrus pulchellus* WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon asiaticum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon avicennae* GAETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon glaucum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon graveolens* (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon hirtum* (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon indicum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon persicum* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon theophrasti* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia arabica* SENSU BAKER vadiana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia arabica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia caesia* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia catechu* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia concinna* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia dealbata* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia decurrens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia eburnea* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia farnesiana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia indica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia intsia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia jacquemontii* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia leucophloea* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia melonoxylon* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia modesta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia nilotica* (L.) WILLD. EX DEL. indica (BENTH.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia pennata* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia planifrons* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia polyacantha* WILLD. *polyacantha* BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia polyantha* SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia pseudo-eburnea* DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia pycnantha* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia rugata* (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia senegal* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia sinuata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia speciosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia suma* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia torta* (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha betulina* RETZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha racemosa* WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acampe carinata* (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acampe papillosa* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acampe wightiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acanthopanax trifoliatum* (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer caesium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer cappadocicum* GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer laevigatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer mono* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer oblongum* WALL. EX DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer pentapomicum* STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer pictum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achillea millefolium* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achillea santolina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achras zapota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes aquatica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes aspera* L. *rubrofusca* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes bidentata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes porphyristachya* WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum atrox* (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum balfourii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum bisma* (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum chasmanthum* STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum deinorrhizum* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum elwesii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum falconeri* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum ferox* WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum heterophyllum* WALL. EX ROYLE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum kashmiricum* STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum laciniatum* (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum laeve* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum lethale* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum luridum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum moschatum* (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum napellus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum palmatum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum rotundifolium* KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum soonoricum* STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum spicatum* (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconitum violaceum* JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aconogonum tortuosum* (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acorus gramineus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acronychia laurifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acronychia pedunculata* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrotrema arnotianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actaea racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinopterys australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinopterys dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actiniopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenantha pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenia heterophylla* (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenia hondala* (GAERTN.) W.J.DE WILDE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenia nicobarica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenia palmata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenia penangiana* (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenosma capitatum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenosma indianum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adhatoda beddomei* C.B. CLARKE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum peruvianum* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum philippense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum tinetum* MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum trapiziforme* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adiantum venustum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adina cordifolia* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adinobotrys atropurpureus* DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adonis aestivalis* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva pseudotomentosa* BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva sanguinolenta* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva tomentosa* FORSK. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva wightii* HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynanthus hookerii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynanthus maculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aesculus assamica* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aesculus hippocastamum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aesculus indica* COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aganosma calycina* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aganosma caryophyllata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aganosma cymosa* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aganosma dichotoma* (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aganosma marginata* G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aganosma wallichii* G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agapanthus africanus* (L.)HOFFMANN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agathis robusta* F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agati grandiflora* (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave americana* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave angustifolia* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave cantala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave sisalana* PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave vera-cruz* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave vivipara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ageratina adenophora* (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ageratum houstonianum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia diepenhorstii* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia elaeagoidea* (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia lawii* (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia minutiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia odorata* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia odoratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia roxburghiana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agni-jwalamonia eupatoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agni-jwalamonia pilosa* LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agropyron repens* BEAUV. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostemma githago* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostis linearis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostistachys meeboldii* PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ailanthus altissima* SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ailanthus excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ailanthus glandulosa* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ailanthus malabarica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ailanthus triphysa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ainsliaea aptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ainsliaea pteropoda* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aisandra butyracea* (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ajuga bracteosa* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ajuga macrocarpa* WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ajuga macrosperma* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ajuga parviflora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alangium begonifolium* MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alangium decapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alangium hexapetalum* LAM. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alangium kurzii* CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alangium lamarckii* THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alangium salvifolium* (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia amara* (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia chinensis* (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia julibrissin* DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia lebbeck* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia lucida* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia lucidior* (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia marginata* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia myriophylla* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia odoratissima* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia procera* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia stipulata* BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alcornoja javensis* MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alcornoja rugosa* (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alchornea tiliacifolia* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alectra parasitica* RICH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alhagi maurorum* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alisma plantago* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alisma plantagoauatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium ascalonicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium carolinianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium chinense* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium consanguineum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium hookeri* THW. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium humile* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium leptophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium macleani* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium rubellum* M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium schoenoprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium stracheyi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium tuberosum* ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium victorialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium wallichii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allmania nodiflora* (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allophylus cobbe* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allophylus rheedii* (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allophylus serratus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alloteroopsis cimicina* (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alnus nepalensis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alnus nitida* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alocasia cucullata* SCHOTT. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alocasia denudata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alocasia fornicata* (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alocasia indica* (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alocasia macrorrhiza* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alocasia montana* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alocasia odora* (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe abyssinica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe barbadensis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe ferox* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe indica* (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe littoralis* KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe perryi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe spicata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe succotrina* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe vera*(typica) (L.) BURM.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alphonsea verntricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia allhugas* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia calcarata* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia chinensis* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia conchigera* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia galanga* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia khulanjan* M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia malaccensis* (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia nigra* (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia nutans* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia officinarum* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia speciosa* K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia zerumbet* BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alseodaphne semicarpifolia* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstonia constricta* F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstonia kurzii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstonia macrophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstonia scholaris* R.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera triandra* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Althaea ludwigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Althaea officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Althaea rosea* (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Altingia excelsa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus bupleurifolius* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus longifolius* WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus monilifer* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus vaginalis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alyxia reinwartii* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alyxia stellata* ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus atropurpureus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus blitum* L. oleracea DUTHIE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus campestris* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus dubius* E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus fasciatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus gangeticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus gangeticus* LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus gracilis* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus graecizans* AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus hybridus* L. *hybridus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus hybridus* L. *paniculatus* THELL. *cruentus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus hypochondriacus* L. *NULL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus lividus* L. *polygonoides* (MIQ.) THELL. *EX PROBS* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus lividus* L. *NULL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus mangostanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus polygamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus tenuifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus tristis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaryllis belladonna* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amberboa divaricata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amberboa hookeri* (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ammannia auriculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ammannia baccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ammannia senegalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ammannia vesicatoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomi majus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum aromaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum costatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum dealbatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum fenzlii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum granum-paradisi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum kepulaga* SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum melegueta* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum racemosum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum subulatum* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum xanthioides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum zingiber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amoora cucullata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amoora rohituka* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorpha fruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus bulbifer* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus campanulatus* BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus commutatus* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus dubius* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus prainii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus sylvaticus* (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus arnotiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus barbata* (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus indica* (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus latifolia* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus tomentosa* (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amphicome emodi* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amphilophis odorata* CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amphineuron extensus* (BL.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amyris gileadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anacolosia densiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anacyclus pyrethrum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anamirta cocculus* (L.) WIGHT & ARN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ananas comosus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ananas sativus* SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis adnata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis brevifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis cinnamomea* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis contorta* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis cuneifolia* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis neelgerriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis nubigena* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis sarmentosa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis semepervivoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis triplinervis* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anastatica hierochuntica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anchusa strigosa* LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ancistrocladus heyneanus* WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ancistrocladus tectorius* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andira araroba* AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrachne cadishaw* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrachne cordifolia* MUELL. ARG. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis echioides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis lineata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis macrobotrys* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis serpyllifolia* (ROTTL. EX VAHL)WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon halepensis* BROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon nardus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum waiiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gmelina arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gmelina philippensis* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holmskioldia sanguinea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana camara* L. var. *aculeata* (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana camara* L. var. *splendens* (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana indica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana veronicifolia* Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lippia citriodora* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lippia javanica* (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petrea volubilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyla nodiflora* (L.) Greene and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna balakrishnanii* Rajendran & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna coriacea* Clarke var. *coriacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna mundanthuraiensis* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna paucinervis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna wightiana* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Priva cordifolia* (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachytarpheta jamaicensis* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachytarpheta mutabilis* (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex leucoxydon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex peduncularis* Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symphorema involucratum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avicennia alba* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avicennia marina* (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrocephalus palniensis* Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus argenteus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus scaber* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clinopodium umbrosum* (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colebrookea oppositifolia* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elsholtzia ciliata* (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Endostemon viscosus* (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eusteralis cruciata* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eusteralis deccanensis* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eusteralis quadrifolia* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geniosporum elongatum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isodon coetsa* (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isodon nigrescens* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isodon nilgherriensis* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isodon walkeri* ( Arn. ) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isodon wightii* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lavendula angustifolia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lavandula lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonotis leonurus* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonotis nepetifolia* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonurus sibiricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas anKalamraoana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas angularis* Benth. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas aspera* (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas biflora* (Vahl) R.Br. var. *biflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas cephalotes* (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas chinensis* (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas ciliata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas diffusa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas eriostoma* Hook.f. var. *eriostoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas helianthemifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas hirta* (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas indica* (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas lamifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas lanata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas lanceaefolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas marrubioides* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas martinicensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas montana* Spreng. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha x piperita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meriandra bengalensis* Benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micromeria capitellata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta hindostana* (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. var. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. var. *pilosum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. var. *purpurascens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. var. *thyrsiflorum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Origanum hortensis* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon aristatus* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon comosus* Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon pallidus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon thymiflorus* (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus amboinicus* (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus barbatus* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus bishopianus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus caninus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus coleoides* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus deccanicus* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus malabaricus* (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus mollis* (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus rivularis* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus rotundifolius* (Poir.) Spreng. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus scutellarioides* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus stocksii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus subincisus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus urticifolius* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon atropurpureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon purpurascens* Dalz. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon speciosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunella vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia coccinea* Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia farinacea* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia grahamii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia involucrata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teucrium plectranthoides* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teucrium tomentosum* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teucrium wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago afra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago erosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago exigua* Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia erecta* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achyranthes bidentata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva lanata* (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva persica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva sanguinolenta* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerva wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allmania nodiflora* (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera paronychioides* A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera philoxeroides* (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celosia polygonoides* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celosia pulchella* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathula prostrata* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digera muricata* (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphrena serrata* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indobanalia thyrsiflora* (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iresine herbstii* Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothosaerva brachiata* (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psilotrichum elliotii* Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kochia indica* Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salicornia brachiata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suaeda maritima* (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suaeda monoica* Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ercilla spicata* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petiveria alliacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phytolacca dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phytolacca octandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rivina humilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antigonon leptopus* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coccoloba uvifera* (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emex spinosus* (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagopyrum esculentum* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria attenuata* ( R.Br. ) Sojak subsp. *pulchra* ( Blume ) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria barbata* ( L. ) Hara var. *gracilis* ( Danser ) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria barbata* ( L. ) Hara var. *stagnina* ( Buch.-Ham. ex Meisn. ) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria capitata* ( Buch.-Ham. ex D.Don ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria chinensis* ( L. ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria dichotoma* ( Blume ) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria hydropiper* ( L. ) Spach var. *hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria hydropiper* ( L. ) Spach subsp. *flaccida* ( Meisn. ) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria lapathifolia* ( L. ) Gray var. *lanigera* ( R.Br. )

Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria nepalensis* ( Meisn. ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum molle* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum sphaerocephalum* Wall. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex nepalensis* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex vesicarius* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalzellia zeylanica* (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Farmeria indica* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podostemon subulatus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia tagala* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thottea barberi* (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thottea siliquosa* (Lam.) Ding Hou and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepianthes umbellata* (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq. ) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia heyneana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia pellucida* (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia candolleana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia pseudo - rhombi* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia wightiana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper argyrophyllum* Miq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper galeatum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper glaberrhache* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper hapnium* Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper hymenophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper mullesua* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper obtusistigma* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper ootacamunbense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper opacilimum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper ovatostemon* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper pykarahense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper schmidtii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper trichostachyon* (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper trioicum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper wightii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcandra chloranthoides* Gard. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne lanata* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Beilschmiedia bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum macrocarpum* Hook.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum malabattrum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum riparium* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum walaiwarensense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocarya anamalayana* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocarya beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocarya bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocarya lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocarya neilgherrensis* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocarya stocksii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laurus nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea bourdillonii* Gamble and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea deccanensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea floribunda* (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea glabrata* (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea glutinosa* (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea hookeriana* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea venulosa* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea cassia* (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea scrobiculata* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persea americana* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grevillea punicea* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hakea salicifolia* (Vent.) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hakea sericea* Schrader and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicia nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicia robusta* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucadendron argenteum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macadamia ternifolia* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petrophile pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenocarpus salignus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gyrinops walla* Gaertn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ovidia humboldtia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wikstroemia indica* (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus conferta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus indica* Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus kologa* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helixanthera lepidophylla* (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helixanthera obtusata* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helixanthera wallichiana* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrosolen capitellatus* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrosolen parasiticus* (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scurrula cordifolia* (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxillus courtallensis* (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxillus cuneatus* (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Korthalsella japonica* (Thunb.) Engler and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum orientale* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum ramosissimum* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum trilobatum* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleropyrum pentandrum* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thesium wightianum* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveli*ensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha alnifolia* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha brachystachya* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha ciliata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha fruticosa* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha hispida* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha malabarica* Muell.-Arg. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostistachys borneensis* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aleurites moluccana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma acidum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma alexiteria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma buniis* (L.) Spreng. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma ghaesembilla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma walkeri* (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aporosa acuminata* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aporosa fusiformis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blachia calycina* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrozophora prostrata* Dalz. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrozophora rottleri* (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Claoxylon anomalum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleidion spiciflorum* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleistanthus travancorensis* Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Codiaeum variegatum* (L.) Juss. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelodepas calycinum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton oblongifolius* Roxb. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimorphocalyx glabellus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes elata* (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes longifolia* (Blume) Pax & Hoffm. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes porteri* (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes roxburghii* (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes venusta* (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia balakrishnanii* Binojk. & Gopalan and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia barnhartii* Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia corrigioloides* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia cristata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia cyathophora* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia dracunculoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia heterophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia helioscopia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia heyneana* Spreng. subsp. *heyneana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia laciniata* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia pulcherrima* Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia pycnostegia* Boiss. var. *zornii* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia santapaui* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia trigona* Mill. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia tortilis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia vajravelui* Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Excoecaria cochinchinensis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Excoecaria crenulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Excoecaria robusta* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion arboreum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion pauciflorum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion tomentosum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion zeylanicum* (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homonoia riparia* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha glandulifera* Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha tanjorensis* Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus repandus* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus resinosa* (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus rhamnifolius* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus stenanthus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus subramanyamii* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus tetracoccus* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manihot esculenta* Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meineckia parvifolia* (Wight) Webster and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus beddomei* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus chandrasei* Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus debilis* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus gageana* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus gardnerianus* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus indofischeri* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus kozhikodanus* Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus leschenaultii* Muell. Arg., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus myrtifolius* Moon and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus speciosus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus virgatus* Forst. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudoglochidion anamalayanum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapium insigne* (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapium sebiferum* (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sauropus androgynus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia bicolor* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernicia montana* Lour. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaedorea cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Debregeasia wallichiana* (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) Friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema sessile* Forst. var. *sessile* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia diversifolia* (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laportea interrupta* (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oreocnide frutescens* (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parietaria micrantha* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia cymosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia hirta* (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia pentandra* (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia wightii* Benn. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Procris crenata* Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis tetrandra* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus gomezianus* Wall. ex Trec. subsp. *zeylanicus* Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus heterophyllus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus hirsutus* Lam. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Broussonetia papyrifera* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dorstenia indica* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus albipila* (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus amplissima* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus amplocarpa* Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus arnottiana* (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus auriculata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus beddomei* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus benghalensis* L. var. *benghalensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus benghalensis* L. var. *krishnae* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus benamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus callosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus dalhousiae* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus elastica* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus exasperata* Vahl and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus glaberrima* Blume var. *bracteata* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus guttata* (Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus heterophylla* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus hispida* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus hookeriana* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus microcarpa* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus mollis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus nervosa* Heyne ex Roth var. *nervosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus nervosa* Roth var. minor King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus palmata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus pumila* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus talbotii* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus tinctoria* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus tsjahela* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Streblus asper* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Platanus orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanea sativa* Mill. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus robur* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Burmannia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Burmannia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Burmannia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acampe praemorsa* (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides crispa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides maculosum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aerides ringens* (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anoectochilus elatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anoectochilus rotundifolius* (Blatter) Balakr. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aphyllorchis montana* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundina graminifolia* (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachycorythis iantha* (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calanthe sylvatica*(Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheirostylis parvifolia* Lindl. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chiloschista fasciata* (F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysoglossum hallbergii* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysoglossum maculatum* (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne breviscapa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne mossiae* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne nervosa* A. Rich. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne odoratissima* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne ovalis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne prolifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne uniflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corymborkis veratrifolia* (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cottonia peduncularis* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crepidium purpureum* (Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium haemoglossum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium herbaceum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium heterocarpum* Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium heyneanum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium macrostachyum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium microbulbon* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium nanum* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplozentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplozentrum recurvum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epidendrum radicans* Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria dalzellii* (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria mysorensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria pauciflora* Wight and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria polystachya* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria pseudoclavicaulis* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia cullenii* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia epidendrea* (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia graminea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia pulchra* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goodyera procera* (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria digitata* Lindl. var. *digitata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria elwesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria furcifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria grandifloriformis* Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria heyneana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria hollandiana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria longicorniculata* Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria longicornu* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria macrostachya* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria marginata* Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria multicaudata* Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria ovalifolia* Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria pallideviridis* Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria perrottetiana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria richardiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hetaeria ovalifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kingidium deliciosum* (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis atropurpurea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis beddomei* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis biloba* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis caespitosa* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis duthiei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis nervosa* (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis platyphylla* Ridley and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis praezerei* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis resupinata* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis viridiflora* (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis walkeriae* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis wightiana* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luisia birchea* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia anamalayana* Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia balakrishnanii* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia brunoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia ensiformis* (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia iridifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia platycaulon* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia proudlockii* King & Pantl. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia santapau* Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia sebastiana* Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia tenuis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia wightiana* Lindl. var. *nilgiriensis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oberonia zeylanica* Hook and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pachystoma senile* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paphiopedilum druryi* (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papilionanthe cylindrica* (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pecteilis gigantea* (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus aristatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus brachyphyllus* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus densus* (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus goodyeriodes* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus plantagineus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus richardianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus secundus* (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus spiralis* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus stocksii* (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pholidota pallida* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podochilus falcatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polystachya concreta* (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Porpax jerdoniana* (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Porpax reticulata* Lindl and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Proteroceras leopardianum* (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchostylis retusa* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhytionanthos nodosus* ( Rolfe ) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Robiquetia josephiana* Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sirhookera lanceolata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sirhookera latifolia* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithsonia maculata* (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spathoglottis plicata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taeniophyllum alwisii* Lindl. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tainia bicornis* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam wightii* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zeuxine gracilis* (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia abundiflora* Burt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia calcarata* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia galanga* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia malaccensis* (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia nigra* (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alpinia zerumbet* (Pers.) B. L. Burt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum cannicarpum* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amomum pterocarpum* Thw. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma aromatica* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma pseudomontana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma zedoaria* (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Globba ophioglossa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium coronarium* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium flavescens* Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium venustum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber nimmonii* (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber officinale* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber roseum* (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber wightianum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber zerumbet* (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Costus pictus* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Costus speciosus* (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phrynium pubinerve* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schumannianthus virgatus* (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ensete superbum* (Roxb.) Cheesman and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliconia psittacorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ravenala madagascarensis* Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strelitzia reginae* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ananas comosus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anigozanthos flavidus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lilium trigrinum* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peliosanthes teta* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crocasmia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gladiolus primulinus* Baker and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris unguicularis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum viviparum* (Lam.) R.Ansari & V.J. Nair and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum moorei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucojum aestivum* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerine flexuosa* (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerine undulata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pancratium triflorum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaedranassa dubia* (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sprekelia formosissima* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenomesson coccineum* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zephyranthes carinata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zephyranthes grandiflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zephyranthes tubispatha* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agave vera-cruz* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordyline australis* (Forst. F.) Hook. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria thyridiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria varians* N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria zeylanica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstroemeria aurea* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bomarea caldasiana* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bomarea oligantha* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curculigo orchioideis* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypoxis aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Molineria trichocarpa* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea hamiltonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea wallichii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea wightii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichopus zeylanicus* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stemona tuberosa* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucomis autumnalis* (Miller) Chitt. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucomis punctata* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ornithogalum arabicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ornithogalum conicum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scilla hyacinthina* (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urginea congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urginea indica* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urginea polyantha* Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asphodelus tenuifolius* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloe vera* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kniphofia uvaria* (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus asiaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus fysonii* Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus gonoclados* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus laevis* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum arundinaceum* Baker and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum attenuatum* (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum heynei* Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum laxum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum malabaricum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum nimmonii* (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum tuberosum* (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gloriosa rothschildiana* O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monochoria hastata* (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monochoria vaginalis* (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xyris pauciflora* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aclisia secundiflora* (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aneilema montana* (Wight) Clarke and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aneilema ovalifolia* (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Belosynapsis kewensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Belosynapsis vivipara* (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina clavata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina indehiscens* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina subulata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina tricolor* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina wightii* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis adscendens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis arcotensis* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis axillaris* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis burmanniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia gigantea* (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia glauca* (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia japonica* (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia juncoides* (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia lanceolata* (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia lanuginosa* (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa*

(Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setcreasea purpurea* Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zebrina pendula* Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juncus bufonius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juncus effusus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juncus inflexus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juncus leschenaultii* J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luzula indica* Kirschner and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix canariensis* Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix rupicola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix sylvestris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinanga dicksonii* (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Roystonea regia* (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sabal mauritiiiformis* (Karsten) Griseb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachycarpus fortunei* (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Washingtonia robusta* Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus amaryllifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acorus calamus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amorphophallus sylvaticus* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphyllum beddomei* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphyllum wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthurium spathiphyllum* N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema auriculatum* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema leschenaultii* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema murrayi* (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema tortuosum* (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema translucens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema tuberculatum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema tylophorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caladium bicolor* (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colocasia esculenta* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocoryne consobrina* Schott and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocoryne retorspiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plesmonium margaritiferum* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pothos armatus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pothos thomsonianus* Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Remusatia vivipara* (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhaphidophora pertusa* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Theriophonum fischeri* Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Theriophonum minutum* (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthosoma sagittifolium* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zantedeschia aethiopica* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lemna gibba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lemna perpusilla* Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spirodela polyrhiza* (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caldesia parnassiiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Najas graminea* Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Najas malesiana* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aponogeton undulatus* Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halodule pinifolia* (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halodule uninervis* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halodule wrightii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potamogeton crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potamogeton nodosus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potamogeton pectinatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potamogeton perfoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syringodium isoetifolium* (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon brownianum* Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon cinereum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon conica* (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon elenorae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon ensiforme* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon leucomelas* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon longicuspis* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon nairii* Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon nepalense* Prescott ex Bongard and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon odoratum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon panagudianum* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon pectinatum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon quinquangulare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon ramnadense* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon ritchieanum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon robusto-brownianum* Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon robustum* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon talbotii* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon thwaitesii* Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex baccans* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex breviculmis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex brunnea* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex christii* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex eluta* Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex foliosa* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex filicina* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex glaucina* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex lateralis* Kuek. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex lenta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex leucantha* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex lindleyana* Nees var. *lindleyana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex longicruris* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex longipes* D. Don var. *longipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex myosurus* Nees and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex raphidocarpa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex rara* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex speciosa* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex vicinalis* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex walkeri* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex wallichiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus alopecuroides* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus arenarius* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus bulbosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus castaneus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus cephalotes* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus compressus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus corymbosus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus curvibracteatus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus distans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus distans* L. var. *pseudonutans* Kuek. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus elatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus exaltatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus halpan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus imbricatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus latovaginatus* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus lurida* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus nutans* Vahl var. *nutans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus pangorei* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus pilosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus platyphyllus* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus platystylis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus plumbeonucea* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus polyanthelus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus procerus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus pygmaeus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus rotundus* L. subsp. *rotundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus rubicundus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus rubriglomosus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus sphaelatus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus stoloniferous* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus strictulmis* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus sulcinus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus tenuiculmis* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus tenuispica* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria*

(Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis tetraquetra* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis amplocarpa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis bisumbellata* (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis cinnamometorum* (Vahl) Kunth and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis crystallina* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis dichotoma* (L.) Vahl subsp. *glauca* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis dipsacea* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis falcata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis ferruginea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis kingii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis latiglumifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis latinucifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis monospicula* Govindarajalu and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis monticola* Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis narayanii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis ovata* (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis pauperula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis rugosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis salbundia* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis scabrisquama* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis schoenoides* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis semidisticha* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis sieberiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis strigosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis tortifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis tristachya* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis woodrowii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuirena pubescens* (Lam.) Kunth var. *pergametacea* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kylinga bulbosa* P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kylinga hyalina* (Vahl) T. Koyama and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kyllingia nemoralis* ( J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kyllingia malanosperma* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lipocarpha chinensis* (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lipocarpha raynleana* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lipocarpha sphacelata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus clarkei* (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus compactus* (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus cyperinus* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus paniceus* (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus squarrosus* (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus sumaterensis* (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnus flavescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnus flavidus* (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchospora corymbosa* (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchospora gracillima* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchospora rubra* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchospora rugosa* (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Riklilla squarrosa* (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schoenoplectus articulatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schoenoplectus grossus* (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schoenoplectus juncooides* (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schoenoplectus littoralis* (Schrad.) Palla subsp. *subulatus* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria caricnia* (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria terrestris* (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrachne henrardiana* (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrachne racemosa* (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrachne sundararajii* Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeluropus lagopoides* (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostis micrantha* Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostis peninsularis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostis pilosula* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostis schmidii* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alloteropsis cimicina* (L.) Stapf and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon polytychus* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apocopsis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apocypis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida adscensionis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida hystrix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida mutabilis* Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida setacea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthraxon depressus* Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthraxon lanceolatus* (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthraxon micans* (Nees) Hochst. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthraxon prionodes* (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthraxon quartinianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella mesophylla* Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella purpurea* Hochst. ex Steud. var. *purpurea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundo conspicua* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avena byzantina* K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Axonopus compressus* (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa bambos* Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bothriochloa kuntzeana* (Hack.) Henrard and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria distachya* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria muna* Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria nilagirica* Bor and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria reptans* (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria Semiverticillata* (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria setigera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachypodium distachyon* (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachypodium sylvaticum* (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Briza maxima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Briza media* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Briza minor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bromus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bromus catharticus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bromus diandrus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bromus ramosus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capillipedium filiculme* (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capillipedium huegelii* (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capillipedium parviflorum* (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cenchrus biflorus* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cenchrus glaucus* Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cenchrus setigerus* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionachne koenigii* (Spreng.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionachne semiteres* (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris barbata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris bournei* Rang. & Tard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris dolichostachya* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris gayana* Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris pycnothrix* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris roxburghiana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon hackelii* (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon orientalis* (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelachyropsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coix aquatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynodon arcuatus* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynodon dactylon* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynodon plectostachyus* (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtococcum deccanense* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtococcum muricatum* (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtococcum patens* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtococcum sparsicomum* (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtococcum trigonum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dactyloctenium aegyptium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrocalamus strictus* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmostachya bipinnata* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichanthium annulatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichanthium aristatum* (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichanthium caricosum* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichanthium foveolatum* (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichaetaria wightii* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria abludens* (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria ciliaris* (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria duthieana* Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria griffithii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria longiflora* (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria microbachne* (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria radicata* (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria setigera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria stricta* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria ternata* (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria tomentosa* (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria violascens* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria acutipes* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria avenacea* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria fuscescens* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimeria ornithopoda* Trin. var.  *khasiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplachne malabarica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa crus - galli* (L.) P. Beauv var. *breviseta* (Doll) Neilr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleusine coracana* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleusine indica* (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elytrophorus spicatus* (Willd.) A. Camus and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enteropogon monostachyos* (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostiella bifaria* (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostiella brachyphylla* (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis aspera* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis curvula* (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis dayanKalamnii* P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis kiwuelsis* Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis macilenta* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis nigra* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis nutans* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis pilosa* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis riparia* (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis rottleri* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis schweinfurthii* Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis superba* Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis tef* (Zucc.) Trotter and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis tremula* (Lam.) Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis unioides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eremochloa muricata* (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriochloa procera* (Retz.) Hubbard and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Festuca ovina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helictotrichon polyneurum* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helictotrichon schmidii* (Hook. f.) Henrard and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemarthria compressa* (L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heteropogon contortus* (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenachne acutigluma* (Steud.) Gilliland and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Imperata cylindrica* (L.)Raeusch. var. *major* (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne elegans* Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne globosa* (Thunb.) Kuntze and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne miliacea* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne oreades* (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne pulchella* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum commutatum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum flumineum* Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum indicum* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum pilosum* (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum rangacharianum* Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum rugosum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum zeylanicolum* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iseilema antheophoroides* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iseilema jainiana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iseilema laxum* Hack. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iseilema prostratum* (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jansenella griffithiana* (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leersia hexandra* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptochloa chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptochloa neesii* (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptochloa obtusiflora* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptochloa panicea* (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptochloa uniflora* Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lolium perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lolium temulentum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lophatherum gracile* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lopholepis ornithocephala* (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanocenchris monoica* (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microchloa kunthii* Desv. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microstegium ciliatum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microstegium nudum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miscanthus nepalensis* (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mnesithea granularis* (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mnesithea laevis* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myriostachya wightiana* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oclandra beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiuros exaltatus* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oplismenus compositus* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza barthii* A. Chevali and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza officinalis* Wall ex Watt subsp *malampuzhaensis* (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza rufipogon* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ottochloa nodosa* (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxytenanthera monadelphica*(Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxytenanthera ritcheyi* (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum antidotale* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum brevifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum fischeri* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum maximum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum notatum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum paludosum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum psilopodium* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum repens* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum sparsicomum* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum sumatrense* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum trypheron* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalidium flavidum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalidium geminatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalidium punctatum* (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum canarae* (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum conjugatum* Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum dilatatum* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum americanum* (L.) Leake. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum polystachyon* (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum purpureum* Schum and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum villosum* R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Perotis indica* (L.) Kuntze var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phalaris aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phalaris arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phalaris minor* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poa gamblei* Bor and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polypogon fugax* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudanthistiria umbellata* (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rottboellia cochinchinensis* (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sacciolepis indica* (L.) Chase and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sacciolepis myosuroides* (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria italica* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria poiretiana* (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum bicolor* (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum cernuum* Host var. *orbiculatum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum cernuum* Host var. *truchmenorum* (C.Koch)

Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum conspicuum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum coriaceum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum dimidiatum* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum durra* (Forssk.) Stapf var. *coimbatoricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum roxburghii* Stapf var. *hians* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus capillaris* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus maderaspatanus* Bor and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus tenuissimus* (Schrank) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teinostachyum wightii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Themeda quadrivalvis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Themeda tremula* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Themeda triandra* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thysanolaena maxima* (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachys muricata* (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragus roxburghii* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tripogon bromoides* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tripogon jacquemontii* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tripogon lisboae* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tripogon pungens* Fischer and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tripogon wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tripsacum laxum* Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum dicoccum* Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urochloa panicoides* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zenkeria elegans* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zenkeria sebastinei* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zenkeria stapfii* Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zoysia matrella* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zoysia pungens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon schoenanthus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon sorghum* BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andropogon squarrosus* L.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Androsace rotundifolia* HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aneilema conspicuum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aneilema lineolatum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aneilema nudiflorum* BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aneilema scapiflorum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aneilema tuberosum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemarrhena asphodeloides* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone falconeri* THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone narcissiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone obtusiloba* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone rivularis* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone tetrasepala* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anethum foeniculum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anethum sowa* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angelica archangelica* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angelica archangelica* L. *himalayana* (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angelica glauca* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angelica polymorpha* MAXIM. *SINENSIS OLIV.* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angelonia salicariaefolia* HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angiopteris evecta* (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aniseia martinicensis* (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisochilus eriocephalus* BENTH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisomeles indica* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisomeles malabarica* R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisomeles ovata* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anisomeles multiflorum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Annona cherimola* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anoetochilus regalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anoetochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anoetochilus setaceus* (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anogeissus acuminata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anogeissus pendula* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anotis foetida* (DALZ.) BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anplectrum assamicum* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthemis cotula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthemis gayana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthemis nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthemis odontostephana* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthemis pyrethrum* GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthocephalus cadamba* MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthocephalus indicus* A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthriscus cerefolium* (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthriscus sylvestris* HOFFM and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anthyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antiaris innoxia* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antiaris saccidora* DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antiaris toxicaria* (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anticharis glandulosa* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma acidum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma buniis* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma diandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma menasu* (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antidesma zeylanicum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antirrhinum orantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apama siliquosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apama tomentosa* (BL.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aphanamixis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aphananthe cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apium graveolens* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aplotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apocynum foetidum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apollonias arnottii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aponogeton monostachyon* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aponogeton natans* (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aporosa dioica* (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aporosa lindleyana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aporosa octandra* (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aquilaria agallocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aquilaria malaccensis* LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aquilaria ovata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aquilegia fragrans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arabidopsis thaliana* (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arabis chinensis* ROTTLER and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arabis recta* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arabis tribetica* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arachne cordifolia* (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aralia armata* SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aralia cachemirica* DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aralia pseudo-ginseng* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aralia quinquefolia* DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aralia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arceuthobium minutissimum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Archangelica officinalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Archidendron clypearia* (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arctium lappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arctostaphylos uva ursi* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia colorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia humilis* VAHL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia odontophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia oxyphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia solanacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Areca concinna* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Areca nagensis* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Areca triandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arenaria serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arenga obtusifolia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arenga pinnata* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arenga saccharifera* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arenga wightii* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argemone alba* LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyrea aggregata* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyrea argentea* ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyrea cuneata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyrea daltonii* CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyrea fulgens* CHOISY and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia imbricata* (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia involucrata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia malabarica* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia nervosa* (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia pomacea* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia sericea* Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia setosa* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyrea speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aricennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema alba* N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema jacquemontii* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema leschenaultii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema murrayi* (GRAHAM) HOOK.F. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema speciosum* (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema tortuosum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema triphyllum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arisaema wallichianum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida adscensionis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida depressa* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristida setacea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia bracteata* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia bracteolata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia labiosa* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia reticulata* NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia rotunda* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia roxburghiana* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia saccata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia serpentaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aristolochia tagala* CHAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arnebia euchroma* (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arnebia guttata* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arnica montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artabotrys odoratissimus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artabotrys suaveolens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artanema longifolia* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artanema longifolium* (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artanema sesamoides* (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia abrotanum* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia absinthium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia austriaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia biennis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia brevifolia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia cina* BERG. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia roxburghiana* BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia sacrorum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia scoparia* WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia sieversiana* EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia vestita* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia vulgaris* AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthraxon nudus* (STEUD.) HOCHST. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthrocnemum indicum* MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arthropphyllum blumeianum* ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus chaplasha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus communis* J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus gomezianus* WALL. EX TREC. *zeylanicus* JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus heterophyllus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus hirsutus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus integra* (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus integrifolia* L. F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artocarpus lakoocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arum campanulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arum colocasia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arum macrorhizon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arum numphaeifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aruncus dioicus* (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundina graminifolia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundinella nepalensis* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arundo karka* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asagraea officinalis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asarum europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asclepias asthmatica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asclepias gigantea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asclepias lactifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asclepias prolifera* ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asclepias volubilis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asclepias vomitoria* KOEN. EX HOOK.F. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asechynanthus gracilis* PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aspalathus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus adscendens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus curillus* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus filicinus* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus gonoclados* BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus laevis* STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus punjabensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus racemosus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus rottleri* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asparagus sarmentosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asperugo procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asphodelus fistulosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asphodelus tenuifolius* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aspidium polymorphum* (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium adiantoides* (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium adiantum-nigrum* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium alternans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium ceterach* L. ceterach Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium dalhousiae* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium falcatum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium furcatum* THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium laciniatum* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium nidus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium parasiticum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium ruta-muraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium septentrionale* HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asplenium viride* HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster amellus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster falconeri* HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster indamellus* GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster tibeticus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster trinervius* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asteracantha longifolia* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asteriastigma macrocarpa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astilbe rivularis* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astraeus hygrometricus* (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus aegacanthoides* PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus candolleanus* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus ciliolatus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus graveolens* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus hamosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus heratensis* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus himalayanus* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus jacquemontii* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus multiceps* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus munori* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus nivalis* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus psilocentrus* FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus rhizanthus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus sarcocolla* DYMOCK NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus strobiliferus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus tribuloides* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Astragalus verus* OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia coromandeliana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia dalzelliana* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia gangetica* (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia violacea* DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atalantia monophylla* CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atalantia racemosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Athyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Athyrium hohenackerianum* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Athyrium puncticaule* (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Athyrium schimperi* (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atriplex hortensis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atropa acuminata* ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atropa belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atylosia barbata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atylosia candollei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atylosia goensis* DALZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atylosia lineata* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atylosia mollis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atylosia platycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atylosia scarabeoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atylosia volubilis* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Auricularia sambucina* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Averrhoa acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avicennia alba* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avicennia marina* (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Avicennia tomentosa* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Azanza lampas* (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Azima tetracantha* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baccaurea ramiflora* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanites aegyptiaca* (L.) DELILE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanites roxburghii* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanocarpus utilis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanophora dioica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanophora involucrata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanophora polyandra* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baliospermum axillare* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baliospermum calycinum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baliospermum montanum* (WILLD.) MUELL.-ARG. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baliospermum sinuatum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baliospermum solanifolium* (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balsamodendron agallocha* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balsamodendron katarif* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balsamodendron mukul* HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balsamodendron myrrha* N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balsamodendron stocksiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa arundinacea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa balcooa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa bambos* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa oSkiniana* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa tulda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bambusa vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria buxifolia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria cuspidata* HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria involucrata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria longiflora* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria longifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria lupulina* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria montana* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria mysorensis* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria noctiflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria prattensis* SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria strigosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barringtonia acutangula* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barringtonia asiatica* (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barringtonia racemosa* (L.) K.SPENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barringtonia speciosa* FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Basella alba* L. *rubra* (L.) STEWART and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Basella alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Basella cordifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Basilicum polystachyon* (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bassia butyracea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bassia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bassia longifolia* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bassia malabarica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia candida* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia diphylla* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia macrostachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia malabarica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia phenicea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia phenicea* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia racemosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia retusa* HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia roxburghiana* VOIGT and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia rufescens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia tenuiflora* WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia vahlii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia wallichii* MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia cathcartii* J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia hatacoa* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia inflata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia josephii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia laciniata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia luxurians* SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia palmata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia picta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia rex* PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia rubro-venia* HK. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia thomsonii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *NripatimcKalam chinensis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Benincasa cerifera* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Benincasa hispida* (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Benkara malabarica* (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bentinckia condapanna* BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis asiatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis chitria* EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis insignis* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis jaeschkeana* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis kashmiriana* AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis kumaoensis* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis lamberti* PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis lycium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis nepalensis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis pachyacantha* JAFRI zabeliana JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis petiolaris* WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis pseudumbellata* PARKER. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis tinctoria* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis ulicina* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis umbellata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis wallichiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berchemia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergenia ciliata* (HOW.) STERN. *fa ligulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergenia ciliata* (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergenia ligulata* SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergenia purpurascens* (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergenia stracheyi* (HOOK.F. & THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergenia koenigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergia odorata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergia suffruticosa* (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Beta benghalensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Beta maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Betula alnoides* BUCH.-HAM. EX DON and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Betula bhojpattra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Betula utilis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bidens biternata* (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bidens cernua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bidens pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bidens tripartita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biebersteinia odora* STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bignonia chelonoides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bignonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bignonia longifolia* (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum apodisciac* TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum candolleanum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum nervifolium* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum petersianum* KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum sensitivum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bixa orellana* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blechnum spicant* (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharis edulis* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharis linariaefolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharis persica* (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharispermum subsessile* DC. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharistemma serratum* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blighia sapida* KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea aurita* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea balsamifera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea densiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea fistulosa* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea hieracifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea lacera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea laciniata* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea lanceolaria* (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea obliqua* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea pubigeru* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea sessiliflora* DECNE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea wightiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumeopsis falcata* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumeopsis flava* (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bocagea dalzellii* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boehmeria macrophylla* HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boehmeria nivea* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boehmeria repens* NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boerhavia verticillata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boesenbergia rotunda* (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boletus crocatus* BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bombax cibarium* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bombax insigne* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bombax malabaricum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bombax pentandrum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bongardia chrysogonum* (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bongardia rauwolfii* C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bonnaya oppositifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bonnaya reptans* SPRENG. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Borago officinalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Borassus flabelliformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boswellia ovalifoliolata* BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boswellia serrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boswellia thurifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Botrychium lunaria* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Botrychium ternatum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Botrychium virginianum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boucerosia aucheriana* DECNE. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bougainvillea spectabilis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria ramosa* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachyactis roylei* WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bragantia tomentosa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bragantia wallichii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brasenia sachreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassaiopsis glomerulata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica alba* (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica campestris* L. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica campestris* L. *rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica campestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica integrifolia* (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica juncea* (L.) CZERN. SSP. JUNCEA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica napus* L. *glauca* (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica nigra* (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica nigra* (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica oleracea* L. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica oleracea* L. *gongylodes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica rapa* L. *campestris* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica tournefortii* GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Breynia arvensis* (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia scandens* (ROXB.) WILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia squamosa* (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia stipularis* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bridelia tomentosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bromelia ananas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bromus unioloides* H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Broussonetia papyrifera* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brucea javanica* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brucea mollis* WALL. EX KURZ and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bruguiera cylindrica* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bruguiera gymnorrhiza* (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brunfelsia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brunfelsia calycina* BENTH. *MACRANTHA RAFFILL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bruxanellia indica* DENNST. *EX KOSTEL*. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryonia epigoea* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryonia grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryonia laciniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryonia rostrata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryonia scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryonia umbellata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryonopsis laciniosa* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryophyllum calicynum* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryophyllum pinnatum* (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryum bicolor* DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buchanania axillaris* (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buchanania latifolia* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buddleja asiatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buddleja davidii* FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buddleja macrostachys* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buddleja neemda* HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buettneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum congestum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum neilgherrense* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbophyllum sterile* (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bulbostylis barbata* (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bunium persicum* (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum falcatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum jucundum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum lanceolatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum longicaule* WALL. EX DC. himalayense (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum setaceum* FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum thompsoni* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bursera serrata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea buteiformis* (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea frondosa* ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea monosperma* (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butia yatay* (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buxus wallichiana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bytneria Kalammanensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bytneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bytneria pilosa* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cacalia pentaloba* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cacalia sonchifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caccinia crassifolia* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cachrys pabularia* (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cactus ficus-indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cadaba farinosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cadaba fruticosa* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cadaba indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cadaba trifoliata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia bonduc* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia bonducella* (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia coriaria* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia crista* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia cuculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia decapetala* (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia digyna* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia jayabo* NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia mimosoides* LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia nuga* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia paniculata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia pulcherrima* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesulia axillaris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus bicolor* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus cajan* (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus indicus* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calacanthus grandiflorus* (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caladium bicolor* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caladium sagittaeifolium* SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamintha clinopodium* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamintha umbrosa* FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus draco* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus erectus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus extensus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus huegelianus* MART, and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus latifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus rheedei* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus tenuis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus thwaitesii* BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus travancoricus* BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calamus viminalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calanthe masuca* (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calanthe sylvatica* (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calanthe triplicata* (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calendula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa cana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa longifolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa macrophylla* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa psilocalyx* CL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa rubella* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa tomentosa* (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calligonum polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callistemon lanceolatus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callitris inophyllum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calonyction bona-nox* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calonyction muricatum* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calophyllum apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calophyllum calaba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calophyllum elatum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calosanthus indica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calotropis gigantea* (L.) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calotropis gigantea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calotropis procera* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caltha alba* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caltha palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calycotris floribunda* LAM. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calyptranthes caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calyptranthes jambolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Camphora officinarum* NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campsis grandiflora* (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campsis radicans* (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cananga odorata* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium odoratum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium bengalense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium commune* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium euphyllum* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium resiniferum* BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium strictum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium vulgare* LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia ensiformis* SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia gladiata* (JACQ.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia rosea* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia virosa* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cansjera rheedi* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium angustifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. *dicoccum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium parviflorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium umbellatum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caoxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis aphylla* ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis assamica* HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis bisperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis corundas* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis decidua* (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis diffusa* RIDLEY and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis divaricata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis horrida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis micrantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis moonii* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis olacifolia* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis pedunculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsella bursa-pastoris* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsella thomsoni* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsicum festigiatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsicum grossum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsicum minimum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caragana crassicaulis* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma tuberculata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma umbellata* HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carapa granatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carapa gromatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carapa moluccensis* LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carapa obovata* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardamine impatiens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardamine loxostemonoides* O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardamine pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardamine scutata* THUNB. flexuosa (WITH.) HARA

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardanthera uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardaria draba* (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardiocrinum giganteum* (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardiospermum canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carduus edelbergii* RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carduus gigas* UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carduus nutans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex atrata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex cernua* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex nivalis* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex notha* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carex nubigena* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Careya arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Careya herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carica cKalammarcensis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa carKalams* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa congesta* WT. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa opaca* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa spinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carmona microphylla* (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carmona retusa* (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carpesium abrotanoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carpesium cernuum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carpopogon pruriens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carthamus lanatus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carthamus oxyacantha* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carum bulbocastanum* Auct. Non Koch: C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carum carvi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carum copticum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carum roxburghianum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carum strictocarpum* C.B. CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caryophyllus aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caryopteris odorata* ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caryota mitis* LOUR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *CascaNripathi thevetia* (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia elliptica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia graveolens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia ovata* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia tomentosa* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia vareca* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia zeylanica* (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia absus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia acutifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia angustifolia* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia arborea* MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia auriculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia didymobotrya* FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia elongata* LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia laevigata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia lanceolata* COLLAD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia marginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia mimosoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia montana* HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia obovata* COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia obtusifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia pumila* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia senna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia siamea* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia sophora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia surattensis* BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia tora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia uniflora* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassine glauca* (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassiope fastigiata* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanopsis indica* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casuarina equisetifolia* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catha edulis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catharanthus pusillus* (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catharanthus roseus* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catimbium malaccense* (BURM.F.) HOLTTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catimbium speciosum* (WENDL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catunaregam rugulosa* (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catunaregam spinosa* (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caulophyllum thalictroides* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia auriculata* (ROXB.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia carnosa* (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia mollissima* (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia pedata* JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia trifolia* (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cedrela serrata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cedrela toona* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cedrus deodara* (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cedrus libani* BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cedrus libani* BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceiba pentandra* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celastrus paniculatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celosia argentea* L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celosia cristata* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celsia coromandeliana* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis cinnamomea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis philippensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis tetrandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis timorensis* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celtis wightii* PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cenchrus barbatus* SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cenchrus biflorus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurea behen* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurea calcitrapa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurium centaurioides* (ROXB.) ROLLA RAO and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurium roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centella asiatica* (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centipeda orbicularis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centranthera grandiflora* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centranthera indica* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centratherum anthelminticum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centrosema pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centrostachys aquatica* (R.BR.) WALL. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cepa alba* RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cepa flava* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cephaelis ipecacuanha* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cephalotaxus griffithi* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerastium cerastoides* (L.) BRITH. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerastium fontanum* BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerastium glomeratum* THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerastium indicum* THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerastium thomsoni* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerastium vulgatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerasus hexagonus* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceratocephalus falcatus* (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerantonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceratopteris siliquosa* COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceratopteris thalictroides* (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerbera manghas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerbera odollam* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cereus grandiflorus* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerriops candolleana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerriops roxburghiana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerriops tagal* C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceriscoides turgida* (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia bulbosa* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia candelabrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia juncea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chaerophyllum villosum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaerops ritchieana* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Champereia griffithii* PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Champereia manillana* (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chasallia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chassalia ophioxyloides* (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chavica betle* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheilanthes rufa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium album* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium ambrosioides* BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium blitum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium botrys* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chesneya nubigena* (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum segetum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza aegyptiaca* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza bonariensis* (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza japonica* (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza leucantha* (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cosmos sulphureus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crassocephalum crepidioides* (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dahlia imperialis* Roedel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendranthema x grandiflorum* (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrocephala chrysanthemifolia* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrocephala integrifolia* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicoma tomentosa* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinops echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia coccinea* (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia javanica* (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia ramulosa* Gamble and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia scabra* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epilates divaricata* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epilates pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium ianthinum* Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flaveria trinervia* (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gaillardia pulchella* Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galinsoga parviflora* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galinsoga quadriradiata* Ruiz. & Pavon and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gamochaeta coarctata* (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gamochaeta pensylvanica* (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gamochaeta purpurea* (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gazania linearis* (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gerbera jamesonii* Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glossocardia bosvallea* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glossogyne bidens* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnaphalium hypoleucum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnaphalium luteo-album* L. subsp. *luteo-album* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnaphalium polycaulon* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniocaulon indicum* (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura nitida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura travancorica* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helianthus debilis* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helichrysum buddleioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helichrysum perlanigerum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helichrysum wightii* Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helipterum citrinum* Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helipterum roseum* Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagascea mollis* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea acaulis* (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Montanoa bipinnatifida* C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moonia heterophylla* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myriactis wightii* DC. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Notonia shevaroyensis* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Notonia walkeri* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olearia cassinia* F.v. Muell. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oligochaeta ramosa* (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osteospermum ecklonis* (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osteospermum moniliferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentanema cernuum* (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentanema indicum* (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllocephalum courtallense* (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllocephalum indicum* (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllocephalum phyllolaenum* (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllocephalum rangacharii* (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllocephalum scabridum* (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pluchea tomentosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pulicaria wightiana* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rudbeckia maxima* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Santolina chamaecyparissus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sclerocarpus africanus* Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio ansteadii* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio articulatus* (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio calcadensis* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio candicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio cineraria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio confusus* Elmer and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio edgeworthii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio intermedius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio kundaicus* Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio lavandulaefolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio lessingianus* (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio ludens* Clarke and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio neelgherryanus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio polycephalus* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio tenuifolius* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio wightii* (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solidago microglossa* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solidago virga-aurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus asper* (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus wightianus* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus amaranthoides* Burm.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stokesia laevis* (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Struthium sparganophorum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Synedrella nodiflora* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tagetes lucida* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tagetes minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum parthenium* (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taraxacum javanicum* Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taraxacum officinale* Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum cinerariaefolium* Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tithonia diversifolia* (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricholepis radicans* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A.

Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia albicans* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia anamallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia comorinensis* W.W.Smith and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia dalzelliana* Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia elaeagnifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia fysonii* Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia gossypina* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia heynei* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia indica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia malabarica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia membranacea* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia monosis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia pectiniformis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia pothigaiana* Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia ramaswamii* Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia recurva* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia salvifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia setigera* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wedelia trilobata* (L.) A. Hitchc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthium indicum* Koen. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Youngia fuscipappa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Youngia nilgiriensis* Babt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zinnia elegans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scaevola plumieri* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scaevola sericea* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asyneuma fulgens* (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula alphonisii* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campanula wightii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wahlenbergia marginata* (Thunb.) A.DC. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia alsinoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia chinensis* Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia courtallensis* K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia heyneana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia leschenaultiana* (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphenoclea zeylanica* Gaertn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccinium leschenaultii* Wight var. *leschenaultii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erica vagans* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron mucronatum* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron simsii* Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limonium sinuatum* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumbago auriculata* Lam. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anagallis pumila* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lysimachia leschenaultii* Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lysimachia procumbens* Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia amplexicaulis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia blatteri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia pauciflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia rhomboidea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia solanacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ardisia sonchifolia* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia adnata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia basaal* (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia ribes* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maesa indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrsine wightiana* Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rapanea daphnoides* Mez and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rapanea thwaitesii* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jacquinia barbasco* (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jacquinia aculeata* Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysophyllum roxburghii* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isonandra lanceolata* Wight forma *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isonandra montana* (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isonandra perrottetiana* A.DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manilkara roxburghiana* (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Palaquium bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Palaquium ellipticum* (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros affinis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros assimilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros barberi* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros buxifolia* (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros candolleana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros chloroxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros ebum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros nilgirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros oocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros paniculata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros pruriens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros sylvatica* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros walkeri* (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos authilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nootb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nootb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos oligandra* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos pendula* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos wynadense* (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus linocieroides* (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus macrophylla* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus mala-elengi* (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus ramiflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum arborescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum brevifolium* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum malabaricum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum multiflorum* (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum polyanthum* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum ritchiei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum rottlerianum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum sambac* (L.) Ait. var. *sambac* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum scandens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum trichotomum* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum decaisnei* Clarke var. *decaisnei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum robustum* (Roxb.) Blume subsp. *walkeri* (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myxopyrum serratum* A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea dioica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea paniculata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea polygama* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schrebera swietenoides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Azima tetraantha* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenium obesum* Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aganosma cymosa* (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aganosma dichotoma* (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *AllamKalam cathartica* L. var. *nobilis* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *AllamKalam violacea* Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstonia scholaris* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alstonia venenata* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baumontia grandiflora* Wall. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Beaumontia jerdoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa carKalam*s L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa grandiflora* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa hirsuta* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa inermis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catharanthus roseus* (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chonemorpha fragrans* (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ellertonia rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Funtumia africana* (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ichnocarpus frutescens* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mandevilla laxa* (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parsonia alboflavescens* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumeria obtusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia hookeri* Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia micrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia serpentina* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strophanthus wightianus* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thevetia peruviana* K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vallisneria spiralis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vinca major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia arborea* (Dennst.) Mabblerley and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachystelma brevitybulatum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma bhupinderana* Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma diffusa* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma indica* (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma nilagiriana* Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma pauciflora* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma procumbens* Grav. & Mayuranathan and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma stalagmifera* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caralluma umbellata* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia barnesii* Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia bulbosa* Roxb. var. *bulbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia candelabrum* L. var. *candelabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia ciliata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia decaisneana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia elegans* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia ensifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia maculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia mannarana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia oculata* Hook. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynanchum tunicatum* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphocarpus fruticosus* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphocarpus physocarpus* E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema alterniflorum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema elegans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema hirsutum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heterostemma tanjorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holastemma ada-kodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya wightii* Hook.f. subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptadenia reticulata* (Retz.) Wight & Arn. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia tenacissima* (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentatropis capensis* (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pergularia daemia* (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Raphionacme purpurea* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma acidum* (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma brunonianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma intermedium* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma secamone* (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Secamone emetica* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stapelia gigantea* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stapelia grandiflora* Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Telosma minor* (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Telosma pallida* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toxocarpus beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toxocarpus kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toxocarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora capparidifolia* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora pauciflora* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora rotundifolia* Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora tertrapetala* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora zeylanica* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wattakaka volubilis* (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptolepis buchananii* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utleria salicifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagraea ceilanica* Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardneria ovata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitrasacme indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spigelia anthelmia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos lenticellata* Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos minor* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos potatorum* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos vanprukii* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buddleja madagascariensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buddleja volubilis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum atropurpureum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum grande* Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum lawii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum pedunculatum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum petiolare* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum pumilum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum sessile* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum tetragonum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halenia perrottetii* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoppea dichotoma* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides aurantiacum* (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides hydrophylla* (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrolea zeylanica* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wigandia canacasana* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlox drummondii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carmona retusa* (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia alba* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia diffusa* Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia domestica* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia evolutior* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia monoica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia obliqua* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia wallichii* G. Don. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia canarensis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia laevis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia pubescens* Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia wightiana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium marifolium* Retz. subsp. *marifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium peruvianum* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium rottleri* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tournefortia reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichodesma indicum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia coonoorensis* W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia cuneata* (Willd.) Ker-Gawl. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia cymosa* (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia involucrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia nellygherya* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia nervosa* (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia osyrensis* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia pilosa* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia pomacea* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia populifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia sericea* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyreia setosa* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bonamia evolvuloides* (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus arvensis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus flavus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus rottlerianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta reflexa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea aquatica* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea batatas* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea involucrata* Beauv. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea marginata* (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea pileata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea staphylyna* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea turbinata* Lag. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea wightii* (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jacquemontia caerulea* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jacquemontia paniculata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jacquemontia pentantha* (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepistemon leiocalyx* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia aegyptia* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia dissecta* (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia emarginata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia hederacea* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia quinata* (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia quinquefolia* (L.) Hall.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia tridentata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia umbellata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia vitifolia* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Browallia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brugmansia versicolor* Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsicum annum* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum elegans* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum nocturnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cestrum parqui* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyphomandra betacea* (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura cornigera* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura innoxia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura metal* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura sanguinea* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iochroma coccinea* Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees)

Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana alata* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana glutiniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petunia axillaris* (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petunia x hybrida* Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis ixocarpa* Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis lagascae* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis pruinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis peruviana* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schizanthus pinnatus* Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schizanthus wisetonensis* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum barbisetum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum clavatum* Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum convolvulus* Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum elaeagnifolium* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum erianthum* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum giganteum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum grandiflorum* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum hispidum* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum jasminoides* Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum kurzii* Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum macrocarpon* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum macrophyllum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum marginatum* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum mauritianum* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum melongena* L. var. *melongena* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum insanum* J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum lasiocarpum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum robustum* H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum seforthianum* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum sisymbirifolium* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum stramonifolium* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum vagum* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum violaceum* Ortega Subsp. *violaceum* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum wendlandii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum wrightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Streptosolon jamesonii* (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Withania somnifera* (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenosma indianum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angelonia biflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antirrhinum majus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antirrhinum orontium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Antirrhinum purpureum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artanema longifolia* (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bacopa floribunda* (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bacopa hamiltoniana* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bacopa monnieri* (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buchnera hispida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calceolaria gracilis* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dopatrium nudicaule* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glossostigma diandrum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hebe speciosa* (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hebe andersonii* Cockayne and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kickxia ramosissima* (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila aromatica* (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila heterophylla* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila polystachya* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindenbergia indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia parviflora* (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia procumbens* (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia rotundifolia* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia ruellioides* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia srilankana* Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia sessiliflora* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia tenuifolia* (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia viscosa* (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maurandya barclaiana* Lindl. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maurandya erubescens* (D.Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maurandya lophospermum* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mecardonia procumbens* (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stemodia viscosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga angustifolia* (D. Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga densiflora* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sutera dissecta* (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia hirsuta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia vagans* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbascum chinense* (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbascum thapsus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbascum virgatum* Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica javanica* Blume and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica polita* Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica speciosa* R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica persica* Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeginetia pedunculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christisonia bicolor* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christisonia neilgherrica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christisonia saulierei* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orobancha cernua* Loefl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia australis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia exoleta* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia graminifolia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia hirta* Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia minutissima* Vahl and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia nayarii* Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia polygaloides* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia reticulata* J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia roseo-purpurea* Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia scandens* Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia smithiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia stellaris* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia striatula* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia uliginosa* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia wightiana* Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynanthus ceylanica* Gard. var. *pinguis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynanthus perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus gambleanus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus humboldtianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus innominatus* Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus lyrata* Wight var. *lyrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus meeboldii* W.W. Smith and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epithema carnosum* (G.Don) Benth. var. *hispidum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jerdonia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosyris notoniana* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchotechum permolle* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bignonia megapotamica* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clytostoma callistegioides* (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crescentia cujeta* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichandrone falcata* (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *JacarKalam mimosifolia* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nyctocalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pandorea jasminoides* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaedranthus buccinatorius* (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllarthron bojerianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleonotoma jasminifolia* (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podranea ricasoliana* (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrostegia venusta* (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Radermachera xylocarpa* (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spathodea campanulata* Beauv. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *colais* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabebuia palmeri* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tecoma stans* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cobaea scandens* Cav. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis atropurpurea* (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis echioides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis elongata* (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis lobelioides* Wight var. *lobelioides* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis lobelioides* Wight var. *composita* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis stellulata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis stenophylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Andrographis viscosula* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aphelandra deppeana* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia chelonoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia crispata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia dalzelliana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia gangetica* (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Asystasia travancorica* Bedd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria acuminata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria courtallica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria involucrata* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria prattensis* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria strigosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria tomentosa* Roth var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria tomentosa* Roth var. *glandulosa* Fischer and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barleria vestita* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharis maderaspatensis* (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharis repens* (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clinacanthus nutans* (Burm.f. ) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crossandra infundibuliformis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicliptera cuneata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicliptera foetida* (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicliptera verticillata* (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diotacanthus albiflorus* (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ecbolium ligustrinum* (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex



Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elytraria acaulis* (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum capense* L. var. *capense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum purpurascens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum roseum* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Graptophyllum hortense* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila heinei* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia diffusa* Willd. var. *diffusa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia gendarussa* Burm.f and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia glabra* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia glauca* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia latispica* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia neesii* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia prostrata* (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia salsoloides* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia santapau* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia simplex* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis diffusa* Clarke and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis fasciculata* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis incurva* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis mitis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis pungens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis scariosa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis spinosa* Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis subarmata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptostachya wallichii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monothecium aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseuderanthemum malabaricum* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia laeta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia latior* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia parviflora* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia pectinata* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia repens* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia sisparensis* T. And. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sanchezia nobilis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sanchezia parvibracteata* Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Staurogyne glauca* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenosiphonium confertum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes anamallai* J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes ciliatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes consanguineus* (Nees) T. Anders. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes cuspidatus* (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes decurrens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes foliosus* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes heyneanus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes heteromallus* T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes humilis* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes microstachya* Benth. ex Hohen. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes neoasper* Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes papillosus* T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes perrottetianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes pulneyensis* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes rubicundus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes sessilis* Nees var. *sessilis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes sexennis* Nees and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes tristis* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes urceolaris* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aloysia triphylla* (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bouchea hyderabadense* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa arborea* Roxb. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callicarpa tomentosa* (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citharexylum fruticosum* L. forma *subseriatum* (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum aculeatum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum cordatum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum inerme* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum neriifolium* Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum paniculatum* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum philippinum* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionachne koenigii* (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus macrophylla* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus mala-elengi* (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chionanthus crispus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloranthus elatior* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloranthus glaber* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloranthus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloranthus officinalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris barbata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloris virgata* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum arundinaceum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum attenuatum* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum laxum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chlorophytum tuberosum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloroxylon dupada* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chondrus crispus* STACKH. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chonemorpha fragrans* (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christella contiguum* (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christella parasitica* (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christella subpubescens* (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrozophora prostrata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum coccineum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum indicum* L. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum roxburghii* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysobalanus icaco* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysophyllum roxburghii* DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon aciculatus* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chukrasia tabularis* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cibotium barometz* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cicca acida* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cicca disticha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cimicifuga racemosa* NUTT. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona calisaya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona ledgeriana* MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona robusta* HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona succirubra* PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum aromaticum* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum camphora* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum cassia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum cecidodaphne* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum glanduliferum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum impressinervium* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum iners* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum macrocarpum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum malabathrum* BATKA and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum obtusifolium* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum parthenoxylon* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum pauciflorum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum sulphuratum* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum tamala* NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum travancoricum* GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum verum* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum wightii* C.F.W. MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinnamomum zeylanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cipadessa baccifera* (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Circaea alpina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Circaea cordata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cirsium argyranthum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cirsium arvense* (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cirsium sinense* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cirsium verutum* (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cirsium wallichii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissampelos pareira* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus adnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus discolor* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus javanica* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus lanceolata* MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus latifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus pallida* (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus pedata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus repKalam* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus repens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus trilobata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cistanche tubulosa* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cistus creticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citharexylum subserratum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrullus colocynthis* (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrullus lanatus* (THUNB.) MATSUMARA & NAKAI

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI fistulosus (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrullus vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrullus vulgaris* SCHRAD. fistulosus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus acida* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus aurantifolia* (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus aurantium* L. bergamia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus bergamia* RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus bigaradia* LOISEL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus decumana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus grandis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus hystrix* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus jambhiri* LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus karna* RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus latipes* (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus limetta* RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus limon* (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus limonum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus macroptera* Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus madurensis* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus maxima* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus medica* L. medica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus medica* L. limetta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus medica* L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus paradisi* MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus pyxidata* (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus reticulata* BLANCO and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus sinensis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cladonia alpestris* (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Claoxylon indicum* HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Claoxylon polot* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena dentata* (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena excavata* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena heptaphylla* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena lansium* (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena pentaphylla* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena wampi* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena willdenowii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Claviceps purpurea* (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Claxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleidion nitidum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleisostoma tenuifolium* (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleisostoma williamsonii* (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis buchananiana* DC. *vitifolia* WALL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis connata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome brachycarpa* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome burmanni* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome chelidonii* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome felina* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome gynandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome heptaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome icosandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome monophylla* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome vahliana* FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum colebrookianum* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum indicum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum inerme* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum multiflorum* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum philippinum* SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum phlomides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum serratum* (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum siphonanthus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum splendens* G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum viscosum* H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clerodendrum wallichii* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clinogyne dichotoma* SALISB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clinogyne grandis* BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clinopodium umbrosum* (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clinopodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clitoria mariana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coccinia cordifolia* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coccinia glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coccinia grandis* (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coccinia indica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coccoloba uvifera* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus cordifolius* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus hirsutus* (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus leaeba* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus macrocarpus* W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus pendulus* (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus suberosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus villosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cochlearia armoracia* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cochlearia cochlearioides* (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cochlospermum gossypium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cochlospermum religiosum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocos schizophylla* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Codiaeum variegatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Codonacanthus pauciflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Codonopsis clematidea* (SCHR.) CI. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Codonopsis ovata* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelodepas calycinum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne cristata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne ovalis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne punctulata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coelogyne stricta* (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colchicum luteum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colchicum variegatum* BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colebrookea oppositifolia* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus ambonicus* LOUR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus aromaticus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus barbatus* (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus forskohlii* (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus osmirrhizon* W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus scutellarioides* (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus vettiveroides* K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coleus zeylanicus* (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colocasia antiquorum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colocasia esculenta* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colocasia macrorrhiza* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colubrina asiatica* (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum extensum* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum latifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum nanum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum pilosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum roxburghii* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina communis* EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina diffusa* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina longifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina obliqua* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina paludosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina salcifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commelina suffruticosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commicarpus chinensis* (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commicarpus verticillatus* STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora abyssinica* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora agallocha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora berryi* (ARN.) ENGLR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora molmol* ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora myrrha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora opobalsamum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora playfairii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora roxburghii* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora schimperi* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora stocksiana* ENGL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora wightii* (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conium maculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conocarpus latifolia* ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conocephalus suaveolens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Consolida ajacis* (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Consolida regalis* S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convallaria majalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus gemellus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus grandiflorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus malabaricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus microphyllus* SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus pluricaulis* CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus prostratus* FORSSK. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus scammonia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus speciosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus spinosus* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Convolvulus turpethum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza bonariensis* (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza japonica* (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Conyza stricta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Copernicia cerifera* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coptis teeta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corallocarpus epigaea* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corallocarpus epigaeus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corbichonia decumbens* EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus acutangulus* AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus antichorus* ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus depressus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus fascicularis* LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus urticifolius* WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia dichotoma* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia gharaf* (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia grandis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia macleodii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia monoica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia myxa* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia obliqua* WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia obliqua* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia rothii* ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia vestita* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordia wallichii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordyceps sinensis* (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordyline fruticosa* GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cordyline terminalis* (L.) KUNTH and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cortia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corydalis flabellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corydalis govaniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corydalis meifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corydalis ramosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corydalis rutifolia* (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corydalis vaginans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corylus avellana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corylus colurna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corylus jacquemonti* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corymbis veratrifolia* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corymborkis veratrifolia* (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coscinium fenestratum* (GAERTN.) COLEB. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cosmostigma racemosa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Costus arabicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Costus speciosus* (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotinus coggygria* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotula anthemoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotula aurea* Loefl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cousinia thomsonii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crambe cordifolia* STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crassocephalum crepidioides* (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataegus laevigata* (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataegus oxyacantha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataegus songarica* KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataeva adansonii* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataeva magna* (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataeva marmelos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataeva nurvala* SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataeva religiosa* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crataeva tapia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cratoxylum cochinchinense* (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cratoxylum neriifolium* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cremanthodium arnicoides* DC. GOOD trigida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cremanthodium decaisnei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cremanthodium plantagineum* MAX. maximowiczii GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cremastra appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cremastra wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crepis flexuosa* (DC) BETH. & HK.F. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crepis japonica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crescentia cujete* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum amoenum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum defixum* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum powellii* HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum pratense* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum revolutum* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crinum viviparum* (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crocus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crossandra infundobuliformis* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crossandra undulaefolia* SALISB. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria albida* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria anagyroides* H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria angulosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria benghalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria bialata* SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria biflora* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria burhia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria calycina* SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria mysorensis* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria paniculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria prostrata* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria pulchra* ANDR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria saltiana* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria striata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria trifoliatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton argyratus* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton aromaticus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton bonplandianum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton caudatus* GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton joufra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton malabaricus* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton oblongifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton plicatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton polyandrum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton reticulatus* HEYNE. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton roxburghii* BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton sebiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton sparsiflorus* MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Croton zeylanicus* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocarya wightiana* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptocoryne spiralis* FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptolepis buchananii* ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptolepis elegans* WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptolepis grandiflora* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis acutangulus* DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis agrestis* NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis anguinus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis callosus* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis colocynthis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis hardwickii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis lagenarius* DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis madraspatanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis melo* L. *momordica* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis melo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis momordica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis myriocarpus* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis pseudo-colocynthi* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis pubescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis utilisissimus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucurbita citrullus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucurbita maxima* DUCHESNE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cudrania javanensis* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cullenia exarillata* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cupressus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curanga amara* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curanga fel-terrae* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curculigo capitulata* (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curculigo crassifolia* GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curculigo orchioides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curculigo recurvata* DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma amada* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma aromatica* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma caesia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma domestica* (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma inodora* BLAT. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma leucorhiza* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Curcuma zerumbet* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta capitata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta europaea* BOVE & ENGELM. indica ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta hyalina* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuscuta reflexa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyamopsis psoralioides* (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyamopsis tetragonolobus* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathea albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathea spinulosa* WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathocline purpurea* (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathostemma micranthum* J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathula prostrata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathula tomentosa* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathus limbatus* TULSANE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathus stercoreus* (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cycas beddomei* DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cycas circinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cycas revoluta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cycas rumphii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclamen europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclamen persicum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclea arnotii* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclea bicristata* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclea burmanni* (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclea fissicalyx* DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclosorus dentatus* (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclosorus gongylodes* (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclosorus parasiticus* (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cydonia oblonga* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cydonia vulgaris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbalaria muralis* G.M. SCHREB. NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon caesius* STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon citratus* (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon coloratus* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon flexuosus* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon jwarancusa* (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon jwarancusa* (JONES) SCHULT. *olivieri* (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon martini* (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon nardus* (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cymbopogon schoenanthus* (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynanchum arnottianum* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynanchum extensum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynanchum heydei* HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynanchum vincetoxicum* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynanthus lobatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynara scolymus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynodon dactylon* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynodon linearis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynoglossum glochidiatum* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynoglossum lanceolatum* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynoglossum micranthum* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynoglossum wallichii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynoglossum zeylanicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynometra iripa* KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynometra mimosoides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynometra ramiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynosurus coracanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus alopecuroides* ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus amabilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus articulatus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus bulbosus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus compactus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus compressus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus corymbosus* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus cyperoides* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus denticulatus* SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus diffusus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus distans* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus exaltatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus haspan* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus inundatus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus jeminicus* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus juncifolius* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus kyllingia* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus longus* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus malaccensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus michelianus* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus pangorei* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus pedunculatus* (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus pertenus* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus pilosus* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus platystylis* R.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus rohita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus rotundus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus scariosus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus stoloniferus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus triceps* (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus tuberosus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyperus undulatus* KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyphostemma setosum* (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtomium caryotideum* (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtomium falcatum* (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyrtophyllum peregrinum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cythocline purpurea* (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cytisus scoparius* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dactyloctenium aegyptium* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dactyloctenium indicum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dactylorhiza hatagirea* (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daedalacanthus roseus* T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daemia cordata* R.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daemia extensa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daemonorops draco* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dahlia rosea* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia arborea* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia candenatensis* (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia emarginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia horrida* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia lanceolaria* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia oogeinensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia pinnata* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia sissoo* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia stipulacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia syriatica* NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia tamarindifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia volubilis* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia indica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia bracteata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daphne genkwa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daphne genkwa* SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daphne genkwa* SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daphne genkwa* WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daphniphyllum himalayense* MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daphniphyllum neilgherrense* ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datisca cannabina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura alba* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura fastuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura innoxia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura metel* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura nilhummatu* DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Datura tatula* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daucus carota* L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Davallia tenuifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Davallia trichomanoides* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Decalepis hamiltonii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Decaspermum fruticosum* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphaenium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphaenium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium bruonianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium caeruleum* JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium cashmirianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium glaciale* HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium kashmirianum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium kohatense* (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium paciflorum* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium roylei* MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium saniculifolium* AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium speciosum* JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium vestitum* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium viscosum* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium zalil* AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium aduncum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium aggregatum* - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium amoenum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium chrysanthum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium coerulescens* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium crumenatum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium crumentum* SW. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium densiflorum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium jenkinsii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium macraei* AUCTION. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium moschatum* (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium nobile* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium ovatum* (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrobium paxtonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrocalamus hamiltonii* NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrocalamus strictus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrocnide sinuata* (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe falcata* (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dendrophthoe pentandra* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dentella repens* (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris elliptica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris ferruginea* (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris indica* (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris malaccensis* PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris robusta* BENTH. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris scandens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris trifoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Descurainia sophia* (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium gyrans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium gyroides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium heterocarpon - strigosum* VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium heterocarpon* (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium heterophyllum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium lasiocarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium latifolium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium laxiflorum* DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium microphyllum* (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium motorium* (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium oojeinense* (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium polycarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium pseudotriquetrum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium pulchellum* BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium retroflexum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium styracifolium* (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium tiliaefolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium triangulare* (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium triflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium umbellatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium velutinum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmos chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmos cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmos dumosa* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmos longiflorus* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmostachya bipinnata* STAPF and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmotrichum fimbriatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Deutzia scabra* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dianthus anatolicus* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dianthus caryophyllus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dianthus chinensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicaelospermum ritchiei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicentra chrysanth* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicentra thalictifolia* HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichanthium caricosum* (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichanthium pertusum* CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichopsis ellipticum* BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichroa febrifuga* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicliptera cuneata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicliptera micranthus* NEES and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicliptera roxburghiana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicoma tomentosa* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicranopteris linearis* (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dictamnus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus aromaticus* WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Didymocarpus pedicellata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dieffenbachia seguine* (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dienia muscifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digera arvensis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digera muricata* (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitalis lanata* EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimocarpus longan* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimorphocalyx glabellus* THW. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dinebra retroflexa* (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dinochloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dionysia diapiensiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea belophylla* VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea composita* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea crispata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea daemona* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea deltoidea* WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea esculanta* (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea hispida* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea oppositifolia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea prazeri* PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea puber* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea purpurea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea rubella* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea sativa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea tomentosa* KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea triphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dioscorea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros buxifolia* (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros candolleana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros chloroxylon* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros cordifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros ebenum* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros embryopteris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros exsculpta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros ferrea* (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros glutinosa* KOENIG and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros insignis* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros kaki* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros lancaefolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros lotus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros malabarica* (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros quaesita* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros sylvatica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diospyros toposia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipcadi erythraeum* WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplazium esculentum* (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplazium stoliczkae* BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diploclisia glaucescens* (BL.) DIELS and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplocyclos palmatus* (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diploknema butyraceae* (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipteracanthus prostratus* (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus alatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus bourdilloni* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus turbinatus* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dischidia rafflesiana* WALL. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Disporum cantoniense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Distemon indicum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dittelasma raraka* (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dodonaea angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dodonaea burmanniana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dodonaea viscosa* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichandrone arcuata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichandrone falcata* SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichandrone spathacea* (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichandrone stipulata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos biflorus* SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos bulbosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos catiang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos catjang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos cylindricus* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos falcatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos gladiatus* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos lablab* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos lablab* L. *typicus* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos pruriens* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos trilobus* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos uniflorus* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolomaea macrocephala* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dombeya cayeuxii* HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Donax connaeformis* (FORST.) SCHUM. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dopatrium junceum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dopatrium lobelioides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dopatrium nudicaule* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dorema ammoniacum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dorema aureum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Doronicum falconeri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Doronicum hookeri* C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Doronicum pardalianches* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dorstenia indica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracaena cinnabari* BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracaena petiolata* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracaena terminalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracaena terniflora* ROXB. FL. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracocephalum heterophyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracocephalum moldavica* LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracocephalum royleanum* ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracocephalum stamineum* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dracontium polyphyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drimys indica* (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drosera lunata* HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drosera peltata* SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drymaria diandra* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drymoglossum carnosum* (WALL.)SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drynaria quercifolia* (L.) J.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryobalanops aromatica* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris barbigera* (MOORE) KUNTZE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris cochleata* (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris filix-mas* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris marginata* (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris sparsa* (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dryopteris macrophylla* (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysophylla stellata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysoxylum alliariae* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysoxylum malabaricum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysoxylum procerum* HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ebermaiera glutinosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ecbolium linneanum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ecbolium viride* (FORSK.) ALSTON and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ecbolium virids* (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echeveria glauca* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinacea angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa colona* LINK. *frumentacea* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa crusgalli* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa frumentacea* LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinops cornigerous* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echinops echinatus* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Echites dichotoma* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eclipta alba* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eclipta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eclipta parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Edgeworthia tomentosa* NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Edwardsia griffithii* (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia acuminata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia canarensis* MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia laevis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia laevis* ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia microphylla* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ehretia obtusifolia* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eichhornia crassipes* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Codariocalyx motorius* (Houtt.) H. Ohashi and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria barbata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria berteriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria bidiei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria bifaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria bourneae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria calycina* Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria candicans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria clarkei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria dubia* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria epunctata* Dalz. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria formosa* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria heyneana* Grahma ex Wight and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria hirta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria humifusa* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria laevigata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria beddomeana* Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria spectabilis* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria linifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria longipes* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria lunulata* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria madurensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria medicaginea* Lam. var. *medicaginea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria multiflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria mysorensis* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria nana* Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria notonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria pallida* Dryand. var. *obovata* (G. Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria semperflorens* Vent. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria subperfoliata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria tecta* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria trifoliatum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria triquetra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria umbellata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria wightiana* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyamopsis tetragonoloba* (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cytisus proliferus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cytisus scoparius* (L.) Link and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cytisus supinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia congesta* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia coromandeliana* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia gardneriana* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia horrida* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia lanceolaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia latifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia malabarica* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia melanoxylon* Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia pseudo-siso* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia rubiginosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia sissooides* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia tinneveli* Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris benthamii* (Thw.) Thw. var. *benthamii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris canarensis* (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris scandens* (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris thothathrii* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Derris trifoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium alysicarpoides* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium barbatum* (L.) Benth. subsp. *sauliereri*



(Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium dichotomum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium dolabriforme* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium oojeinense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium tortuosum* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium triangulare* (Retz.) Merr. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium triflorum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium velutinum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmodium zonatum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicerma biarticulatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dolichos trilobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dumasia villosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina crista-galli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia Semialata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia strobilifera* (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galactia longifolia* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera cassioides* Rottl. ex DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera colutea* (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera constricta* (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera cordifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera glandulosa* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera hochstetteri* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera karnatakana* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera spicata* Forsk. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera stachyodes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera trita* L.f. var. *trita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera trita* L. f. var. *maffei* (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera uniflora* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera vicioides* Jaub. & Spach and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera wightii* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera zollingeriana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lablab purpureus* (L.) Sweet var. *purpureus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laburnum anagyroides* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus latifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus odoratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lens culinaris* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macroptilium lathyroides* (L.) Urban var. *semierectum* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrotyloma ciliatum* (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrotyloma uniflorum* (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melilotus alba* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia racemosa* (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia rubiginosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia splendens* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna gigantea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna monosperma* DC. ex Wight and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna pruriens* (L.) DC. var. *pruriens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mundulea sericea* (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paracalyx scariosa* (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllodium pulchellum* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pongamia pinnata* (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudarthria viscida* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psophocarpus tetragonolobus* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psoralea pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterocarpus marsupium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia capitata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia densiflora* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia filipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia jacobii* Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia nummularia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia rothii* Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia rufescens* (Willd.) DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia suaveolens* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia velutina* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia viscosa* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Robinia pseudo-acacia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rothia indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania bispinosa* (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania grandiflora* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Shuteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sophora interrupta* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sophora wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spartium junceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stylosanthes fruticosa* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stylosanthes sunaica* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia calophylla* Bedd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia canarensis* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia fusca* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia tinctoria* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium alexandrinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium cernuum* Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium dubium* Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium incarnatum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium subterraneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ulex europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria alopecuroides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicia faba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna hosei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna khKalamlensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna radiata* (L.) Wilczek var. *radiata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna subramaniana* (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna trilobata* (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna vexillata* (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna wightii* Benth. ex Bedd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Virgilia oroboides* (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wisteria sinensis* (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zornia diphylla* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zornia gibbosa* Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrocarpus fraxinifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amherstia nobilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia malabarica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia phenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brownea macrophylla* Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia bonduc* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia coriaria* (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia cucullata* Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia decapetala* (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia mimosoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia pulcherrima* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia siamea* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaecrista mimosoides* (L.) Green and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaecrista nigricans* (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chamaecrista pumilla* (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cynometra travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delonix elata* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delonix regia* (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hardwickia binata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Humboldtia bourdillonii* Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Humboldtia brunonis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Humboldtia decurrens* Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Humboldtia unijuga* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Humboldtia vahliana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parkinsonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peltophorum africanum* Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peltophorum pterocarpum* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schizolobium parahybum* (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna didymobotrya* (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna hirsuta* (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna intermedia* (Sharma et al. ) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna italica* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna occidentalis* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna pallida* (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna septumtrionalis* (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna sophora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna surattensis* (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna timoriensis* (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna tora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia armata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia auriculiformis* A. Cunn ex Benth. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia baileyana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia caesia* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia catechu* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia chundra* (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia confusa* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia cultriformis* A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia concurrens* Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia dealbata* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia decora* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia homalophylla* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia holosericea* A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia pennata* (L.) Willd. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia planifrons* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia pruinescens* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia pruinosa* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia pycnantha* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia retinodes* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia saligna* (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia sinuata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia torta* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia verticillata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acacia wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenantha pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia amara* (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia chinensis* (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia lathamii* Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia lebeck* (L.) Willd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Archidendron monadelphum* (Roxb.)Nielson var. *gracile* (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calliandra brevipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calliandra calothyrsus* Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calliandra haematocephala* Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calliandra inmeris* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cathormion umbellatum* (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmanthus virgatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrostachys cinerea* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrostachys muelleri* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichrostachys santapaui* Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Entada pursaetha* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enterolobium cyclocarpum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haematoxylum campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucaena leucocephala* (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa intsia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa hamata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paraserianthes falcataria* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium dulce* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prosopis cineraria* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prosopis juliflora* (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alchemilla indica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chaenomeles speciosa* (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster bacillaris* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster buxifolia* Wall ex Wight and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster microphyllus* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cotoneaster transiens* G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla sundaica* (blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus cerasoides* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus ceylanica* (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus laurocerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus persica* (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus salicina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus serrulata* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quillaja saponaria* Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa banksiae* R. Br. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa brunonii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa x centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa x damascena* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa gigantea* Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa laevigata* Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa multiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus ellipticus* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus fairholmianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus glomeratus* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus indicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus micropetalus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus niveus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus racemosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus rugosus* Smith var. *rugosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus rugosus* Smith var. *thwaitesii* Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea canescens* D. Don and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea cantoniensis* Lour. var. *cantoniensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vahlia dichotoma* (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vahlia digyna* (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parnassia mysorensis* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parnassia wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Deutzia scabra* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrangea macrophylla* (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Philadelphus coronarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bryophyllum fedtschenkoi* ( Raym.-Hamet & H.Perrier ) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crassula quadrifida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drosera peltata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laurembergia coccinea* (Blume) Kan. var. *coccinea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bruguiera gymnorrhiza* (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceriops decandra* (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceriops tagal* (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kandelia candel* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhizophora x annamalayana* Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhizophora apiculata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhizophora mucronata* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calycopteris floribunda* Lam. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum albidum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia bellirica* (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia chebula* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia cuneata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia elliptica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia gella* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia pallida* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia paniculata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia travancorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angophora intermedia* DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angophora lanceolata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus amygdalina* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus blakelyi* Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus bosistoana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus botryoides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus bridgesiana* R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus calophylla* R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus camaldulensis* Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus cephalocarpa* Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus citriodora* Hook. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus eugenioides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus leucosylon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus maculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus megacornuta* C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus microcorys* F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus melliodora* A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus nitida* Hook. f. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus nova-anglica* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus obliqua* L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus ovata* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus paniculata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus pauciflora* Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus pipertia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus polyanthemos* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus ptychocarpa* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus punctata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus radiata* Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus regnans* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus tereticornis* Sm. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus torelliana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus viminalis* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia bracteata* (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia calcadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia continifolia* Jacq. subsp. *codyensis* (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia discifera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia floccosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia indica* (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia mabaeoides* Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia manickamia* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lophostemon confertus* (R.Br.) Peter G. Wilson & J.T. Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca armillaris* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca quinquenervia* S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca styphelioides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimenta dioica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psidium cattleianum* Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhodomyrtus tomentosa* (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syncarpia glomerulifera* (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syncarpia laurifolia* Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium alternifolium* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium aqueum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium aromaticum* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium beddomei* (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium benthamianum* (Wight ex Duthie) Gamble and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium caryophyllatum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium gambleanum* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium hemisphericum* (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium jambos* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium laetum* (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium lanceolatum* (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium malabaricum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium malaccensis* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium megacarpum* (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium mundagam* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium munronii* (Wight) Chandr. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium rama - varmae* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium revolutum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium rubicundum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium scoparium* Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium spathulatum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium sriganesanii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium tamilnadensis* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium venosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Couroupita guianensis* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gustavia superba* Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barringtonia acutangula* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barringtonia asiatica* (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barringtonia racemosa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Careya arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Medinilla fuchsioides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon depressum* Benth ex Triana and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon edule* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon flavescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon gracile* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon gracillimum* Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon grande* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon heyneanum* Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon leucanthemum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon lushingtonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon molestum* (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon randerianum* S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon rivulare* Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon rostratum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon sisparens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon subcordatum* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon talbotianum* Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon umbellatum* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon variens* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia buxifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia muralis* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia wynaadensis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila inaequalis* Murugan et Manickam and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila kanyakumariana* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila speciosa* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila tenera* Royle and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila tinneveli* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila zeylanica* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tibouchina urvilleana* (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ammania baccifera* L. subsp. *baccifera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ammania multiflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lawsonia inermis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nesaea brevipes* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pemphis acidula* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala fimbriata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala macracalam* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala verticillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonneratia apetala* Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fuchsia magellanica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia prostrata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenothera nocturna* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenothera odorata* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenothera rosea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenothera stricta* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenothera tetrapetala* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turnera subulata* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenia hondala* (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora alba* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora antioquiensis* Karsten and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora edulis* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora holosericea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis melo* L. var. *melo* and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis melo* L. var. *utilissimus* (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucumis trigonus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucurbita maxima* Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplocyclos palmatus* (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnopetalum wightii* Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynostemma pentaphyllum* (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagenaria siceraria* (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica charantia* L. var. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica cymbalaria* Hook. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica dioica* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica subangulata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mukia leiosperma* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mukia maderaspatana* (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sechium edule* (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solena amplexicaulis* (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia anamalayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia floccifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia integrifolia* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia malabarica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Begonia subpeltata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrameles nudiflora* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cereus pterogonus* Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cylindropuntia ramosissima* (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epiphyllum oxypetalum* (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hylocereus undatus* (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nopalea cochenillifera* (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia elatior* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia ficus - indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corbichonia decumbens* (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glinus oppositifolius* (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo cerviana* (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo disticha* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo nudicaulis* Lam. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum distichophyllum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carum nothum* Clarke and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centella asiatica* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum candolleanum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum ceylanicum* Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum rigens* Wall ex DC. var. *rigens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum sprengeianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocotyle conferta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocotyle javanica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocotyle sibthorpioides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pastinaca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachyspermum roxburghianum* (DC.) Craib and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vanasushava pedata* (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedera australiana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyscias fruticosa* (L.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera clarkiana* Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera roxburghii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera venulosa* (Wight & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera venulosa* (Wight & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera wallichiana* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrapanax papyrifer* (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera caprifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera etrusca* Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera leschenaultii* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera ligustrina* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera periclymenum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum cylindricum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum erubescens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum hebanthum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum punctatum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sambucus nigra* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acranthera anamallica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acranthera grandiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aidia gardneri* (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostemma courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Agrostemma verticillatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Benkara malabarica* (Lam.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium angustifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium ficiforme* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium neilgherrense* Wight var. *neilgherrense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium coromandelicum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canthium travancoricum* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catesbaea spinosa* Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Catunaregam spinosa* (Thunb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceriscoides turgida* (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxyloides* (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona calisaya* Wedd. var. *calisaya* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cinchona succirubra* Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Deccania pubescens* (Roth) Tirvengadum var. *candolleana* (Wight & Arn.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fergusonia tetracocca* (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia gummiifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia latifolia* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geophila repens* (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis albo-nervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapaui* (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis aspera* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis barberi* (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis biflora* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis brachiata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis buxifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis devicolamensis* Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis gamblei* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis graminifolia* L.f. var. *graminifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis ovatifolia* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam, G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis shettyi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis sisparensis* Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis swertioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenodictyon orixense* (Roxb.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora elongata* Heyne ex G.Don. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora finlaysoniana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora johnsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora leucantha* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora malabarica* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora monticola* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora nigricans* R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora notoniana* Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora pavetta* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus acuminatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus capitulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus ciliatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus cinereus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus dichotomus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus jackianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus oblongifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus parvifolius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus rostratus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus strigillosus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luculia grandifolia* Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luculia gratissima* Sweet and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitragyna parvifolia* (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitragyna tubulosa* (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda pubescens* J.E. Smith var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda reticulata* Gamble and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis nummularia* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis richardiana* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis tubulosa* (G.Don) Mabblerley and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolamarckia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neonauclea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza eriantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza pectinata* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxyceros rugulosus* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta blKalam* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta brunonis* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta hohenackeri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta indica* L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta laeta* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta oblanceolata* Bremek and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta praeterita* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta tomentosa* Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentas lanceolata* (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudaidea speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria bisulcata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria connata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria flavida* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria fosbergii* Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria globicephala* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria johnsonii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria macrocarpa* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria nigra* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria octosulcata* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria sarmentosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria subintegra* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Richardia scabra* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saprosma glomeratum* (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacece articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacece assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacece hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacece latifolia* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacoce mauritiana* Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacoce pusilla* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacoce ramanii* Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tarenna alpestris* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* forma *rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tarenna canarica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wendlandia thyrsoides* (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipsacus leschenaultii* Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scabiosa atropurpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Achillea millefolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acroclinium roseum* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenoon indicum* Dalz. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenostemma lavenia* (L.) Kuntze var. *madurensis* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ageratina adenophora* (Spreng.) R. King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis bournei* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis elliptica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis lawii* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis leptophylla* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis marcescens* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis meeboldii* W.W. Smith and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis notoniana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis subdecurrens* (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis travancorica* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anaphalis wightiana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arctotis venusta* Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argyranthemum frutescens* Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artemisia sieversiana* Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster laevis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharispermum petiolare* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea alata* (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea aurita* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea barbata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea Nripatingeriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea bifoliata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea clarkei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea fistulosa* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea oxydonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Callistephus chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carpesium cernuum* L. var. *nilagiricum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centrantherum punctatum* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centipeda minima* (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chrysanthemum coronarium* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus angustifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus kologa* SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus parvifolia* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus pyriformis* HK.F. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeagnus umbellata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus floribundus* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus ganitrus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus lanceolatus* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus munronii* (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus oblongus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeodendron glaucum* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeodendron roxburghii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema lineolatum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema platyphyllum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatostema sessile* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elettaria cardamomum* MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elettaria cardamomum* MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elettaria cardamomum* MATON minor and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elettaria cardamomum* MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elettaria repens* BAILLOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elsholtzia bIKalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elsholtzia ciliata* (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elsholtzia densa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elsholtzia pilosa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elsholtzia polystachya* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elsholtzia strobilifera* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elytraria acaulis* (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elytrophorus spicatus* (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia ribes* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia robusta* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia subcoriacea* (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embelia tsjeriam-cottam* A.DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emblica officinalis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Embryopteris glutinifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Engelhardia polystachya* RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Engelhardtia roxburghiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Engelhardtia spicata* LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eniada scandens* AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enicostemma axillare* (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enicostemma littorale* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enicostemma verticillatum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Entada phaseoloides* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Entada pursaetha* DC. *pursaetha* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Entada rheedii* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Entada scandens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Enteropogon dolichostachyus* (LAGAS.) KENG EX

LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epilobium divaricatum* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra intermedia* SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra sinica* STAPF. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epilobium roseum* SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epilobium royleanum* HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epimedium elatum* MORR. & DECNE NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Epipactis latifolia* ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Equisetum arvense* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Equisetum debile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Equisetum diffusum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Equisetum ramosissimum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis amabilis* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis ciliata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis cynosuroides* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis gangetica* (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis tremula* HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eragrostis viscosa* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum bicolor* SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum purpurascens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eranthemum roseum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erechtites valerianaefolia* (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eremostachys acanthocalyx* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eremostachys lasiolepis* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eremostachys superba* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eremostachys vicaryi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eremurus himalaicus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria calamifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eria pannea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erianthus munja* JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron alpinus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron asteroides* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron bellidioides* (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron canadensis* TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron multiradiatus* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriglossum rubiginosum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriobotrya japonica* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriolaena quinquelocularis* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriosema chinense* VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriosema himalaicum* OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eritrichium canum* (BTH.) KITAMURA and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erodium moschatum* L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eruca sativa* GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eruca vesicaria* (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ervatamia coronaria* (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ervatamia heyneana* T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ervatmia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erycibe paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erygium coeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eryngium billardieri* DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eryngium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eryngium foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erysimum altaicum* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erysimum repandum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erysimum sisymbrioides* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythraea roxburghii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina corallodendron* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina fusca* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina resupinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina suberosa* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythronium indicum* ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythralum scandens* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylium coca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylium areolatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylium lucidum* MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylium monogyneum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylium monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum moonii* HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum retusum* BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum retusum* BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ethulia conyzoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus camaldulensis* DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus citriodora* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus globulus* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euchresta horsfieldii* (LESCH.) BENNETT NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euchretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eucomis undulata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia aromatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia bracteata* (WILD.)ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia jambolana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia occidentalis* BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia cullenii* (WIGHT) BLUME and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia dabia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia epidendrea* (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia explanata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia herbacea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia nuda* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia pratensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia ramentacea* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eulophia spectabilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus atropurpureus* JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus crenulatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus hamiltonianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus indicus* HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus javanicus* BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus pendulus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus serratifolius* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium adenophorum* SPRENG and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium glandulosum* SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium odoratum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eupatorium triplinerve* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia atoto* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia bombaiensis* SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia caducifolia* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia cognata* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia dracunculoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia granulata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia hispida* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia hypericifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia inaequilatera* SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia laeta* HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia lathyris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia ligularia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia longan* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia longifolia* D. DON and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia microphylla* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia milii* DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia nivulia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia onicophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia orbiculata* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia prostrata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia pulcherrima* WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia resinifera* BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia rosea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia rothiana* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia royleana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia thymifolia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia tortilis* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia trigona* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia turcomanica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia uniflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia wallichii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphorbia longana* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphrasia himalaica* WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphrasia odontites* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphrasia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euphrasia platyphylla* PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eurya acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eurya japonica* AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eurya nitida* KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euryale ferox* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euryangium sumbul* KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eurycoma longifolia* JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evodia fraxinifolia* HOOK.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evodia lunu-ankenda* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evodia meliaefolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evodia roxburghiana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evodia rutaecarpa* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evodia trichotoma* (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evolvulus alsinoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evolvulus emarginatus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Evolvulus nummularius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum bicolor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum lawii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exacum tetragonum* ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Excoecaria acerifolia* F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Excoecaria crenulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Exogonium purga* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fabiana imbricata* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagonia arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagonia bruguieri* DC. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagonia indica* L. *schweinfurthii* HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagopyrum cymosum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagraea obovata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Farsetia aegyptiaca* TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Farsetia hamiltonii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Feronia elephantum* CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Feronia limonia* (L.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula alliacea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula assa-foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula jeschkeana* VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula sumbul* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ferula thomsoni* C.B. CLARKE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Festuca indica* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fibraurea chloroleuca* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fibraurea tinctoria* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus altissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus amplissima* SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus arnottiana* (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus asperrima* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus auriculata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus bengalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus callosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus cunia* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus dalhousiae* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus elastica* ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus exasperata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus fistulosa* REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus fulva* REINW. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus gibbosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus glabella* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus glomerata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus heterophylla* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus hirta* VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus hispida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus infectoria* SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus lacor* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus lacor* BUCH.- HAM. *infectoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus lacor* BUCH.- HAM. *lambertiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus lacor* BUCH.- HAM. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus lucescens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus microcarpa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus mollis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus oppositifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus palmata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus religiosa* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus retusa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus ribes* REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus rumphii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus scandens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus talboti* G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus tinctoria* FORST. F. *parasitica* *parasitica* (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus tinctoria* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus tomentosa* ROXB. EX WILLD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus tsiela* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus tsjakela* BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus virens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ficus wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis argentea* (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis diphylla* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis falcata* (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis junciformis* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fimbristylis sietiniana* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fissendocarpa linifolia* (VAHL) BENNET and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia cataphracta* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia indica* (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia jangomas* (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia ramontchi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia sapida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flaveria australasica* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia bracteata* (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia chappar* BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia congesta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia grahamiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia stricta* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia strobilifera* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia tuberosa* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flickingeria fugax* (RCHB.F.) SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fluegea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flueggea leucopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flueggea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flueggea virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Foeniculum capillaceum* GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Foeniculum vulgare* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Foeniculum vulgare* GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fomes officinalis* (VIL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fortunella japonica* (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fragaria indica* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fragaria nilgherrensis* SCHL. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Francoeria crispa* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Frankenian pulverulenta* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fraxinus excelsior* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fraxinus floribunda* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fraxinus hookeri* WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fraxinus ornus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fritillaria cirrhosa* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fritillaria imperialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fritillaria roylei* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fucus distichus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fumaria parviflora* AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Furcraea foetida* (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fynura bicolour* (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gaillonia aucheri* JAUB. & SPACH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galega purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galega spinosa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galeopsis tetrahit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galidium cartilagineum* (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galinsoga parviflora* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium acutum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium aparine* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium asperifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium elegans* BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium mullugo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium triflorum* MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galium verum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ganophyllum falcatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia cambogia* GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia cornea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia cowa* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia dulcis* KURZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia echinocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia gummi-gutta* (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia hanburyi* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia heterandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia indica* (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia kydia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia morella* (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia pedunculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia pictoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia purpurea* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia rubro-echinata* KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia talbotii* RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia travancorica* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia wightii* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia xanthochymus* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia augusta* (L.) MERR and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia campanulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia dumetorum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia floribunda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia florida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia gummiifera* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia incida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia jasminoides* ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia latifolia* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia lucida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia nummularioides* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia resinifera* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gardenia turgida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garuga pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gastrochilus longiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gastrochilus pandurata* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gaultheria fragrantissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gaultheria nummularioides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gaultheria procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gaultheria trichiphylla* ROYLE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gelidium cartilagineum* GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gelonium bifarium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gelsemium sempervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geniosporum gracile* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geniosporum prostratum* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana algida* PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana argentea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana borealis* GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana carinata* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana chirayta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana decumbens* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana desonasa* (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana kurroo* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana lutea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana olivieri* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana quadrifaria* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana renella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana stipitata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana tenella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentiana thianschanica* RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentianella pedunculata* (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentianella tenella* (ROTTB.) BORNER. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gentianopsis detonsa* (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geodorum densiflorum* (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geodorum dilatatum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geophila herbacea* KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geophila reniformis* D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geophila repens* (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium himalayense* KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium lucidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium mascatense* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium nepalense* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium ocellatum* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium pusillum* BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium rivulare* VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium robertianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium sibiricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium wallichianum* DON EX SW. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gerbera gossypina* (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gerbera lanuginosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gerbera piloselloides* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geum alatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geum elatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geum roylei* WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geum urbanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Giesekia pharnacoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ginkgo biloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia diversifolia* (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia rostratifolia* GRIF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Girardinia triacanthos* L. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gleichenia longissima* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glinus dictamnoides* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Globba clarkeii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Globba pauciflora* KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion calocarpem* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion calocarpum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion ellipticum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion heyneanum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion hohenackeri* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion lanceolarium* VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion multiloculare* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion oblatum* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion sumatrana* MIQ. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion tomentosum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glochidion zeylanicum* A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glossocardia bosvallea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glossocardia linearifolia* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glossogyne bidens* (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glossogyne pinnatifida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glossonema varians* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gluta travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycine labialis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycine max* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycine pentaphylla* DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycine soja* SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis arborea* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis cochinchinensis* PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis macrocarpa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis mauritiana* (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis mauritiana* (LAMK.) TANAKA *Kalammanensis* (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis pentaphylla* (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycyrrhiza glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycyrrhiza glabra* L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycyrrhiza radix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycyrrhiza uralensis* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gmelina arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gmelina elliptica* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gmelina parviflora* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gmelina philippensis* CHAMP. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnaphalium indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnaphalium luteo-album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnaphalium polycaulon* PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnetum edule* (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnetum gnemon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnetum montanum* MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnetum scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnetum ula* BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gnidia glauca* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goldfussia thomsonii* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphia angustifolia* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphia serrata* (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphostemma crinitum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphostemma parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphostemma wallichii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphrena celosioides* MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gonatanthus pumilus* (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus sequipedalis* HK.F.& TH. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus waynaadensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus wightii* HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gonostegia hirta* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goodyera repens* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goodyera schlechteri* KALAMIANA RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goodyera secundiflora* (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gordonia obtusa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium purpurascens* POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium religiosum* WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium stocksii* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gouania leptostachya* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gouania tiliaefolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gracilaria lichenoides* GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grangea maderaspatana* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Graptophyllum hortense* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Graptophyllum pictum* (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gratiola monnieri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grevillea robusta* A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia abutilifolia* VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia asiatica* L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia asiatica* MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia carpinifolia* JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia elastica* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia helicterifolia* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia heterotricha* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia hirsuta* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia microcos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia obtusa* WALL. EX GAMBLE. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia oppositifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia optiva* DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia orbiculata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia polygama* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia populifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia rhamnifolia* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia sapida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia sclerophylla* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia umbellata* AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnadenia himalayica* SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnadenia orchidis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema aurantiaca* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema balsamicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema hirsutum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema khalamlense* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema lactiferum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema latifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema montanum* (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema spartium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnema sylvestre* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnocladus assamicus* Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnopetalum wightii* WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnosporia montana* (ROTH.) BENTH. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnosporia royleana* M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnosporia spinosa* MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynandropsis gynandra* BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura cusimbua* (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura hispidula* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynura pseudo-china* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gyrocarpus americanus* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria commelinifolia* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria crinifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria diphylla* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria edgeworthii* HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria intermedia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria longicorniculata* GRAH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria orchidis* (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria ovalifolia* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria plantaginea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria rariflora* A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria rotundifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hagenia abyssynica* GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haloxylon recurvum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haloxylon salicornicum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hamamelis virginiana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hamelia patens* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hamiltonia suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haplanthus tentaculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Haplanthus verticillata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hardwickia binata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hardwickia pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Harpagophytum procumbens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Harpullia arborea* (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hebanthe paniculata* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedeoma pulegioides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedera helix* C.B.CLARKE and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedera nepalensis* C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedgsonia macrocarpa* (BL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium acuminatum* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium coccineum* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium coronarium* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium ellipticum* HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium gardnerianum* SHEPPARD EX KER-GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium glaucum* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium gracile* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium marginatum* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium spicatum* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedychium wardii* C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis biflora* (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis capitellata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis corymbosa* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis costata* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis diffusa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis glabra* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis hispida* (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis lineata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis pinifolia* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis pruinosa* WIGHT & ARN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis puberula* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis tenelliflora* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis umbellata* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis uncinella* HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis verticillata* (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedyotis vestita* R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedysarum alhagi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedysarum gangeticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedysarum purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedysarum sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedysarum triflorum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hedysarum tuberosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicanthes elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicia excelsa* BLUME. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicia robusta* (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium bacciferum* FORSK. *tuberosum* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium brevifolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium curassavicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium eichwaldi* STEUD. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium ellipticum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium keralense* SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium ophioglossum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium ovalifolium* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium peruvianum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium rariflorum* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium strigosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium subulatum* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium supinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium tuberculatum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium undulatum* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heliotropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemarthria compressa* (L.F.) BR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemidesmus indicus* (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemidictyum ceterach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemigraphis latebrosa* NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hemionitis arifolia* (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum cachemiricum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum candicans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum canescens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum lanatum* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum nepalense* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum pinda* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum pinnatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum rigens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heracleum wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heritiera littoralis* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heritiera minor* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heritiera papilio* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hermodactylus tuberosus* (L.)MILL. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hernandia ovigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hernandia peltata* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Herniaria glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Herniaria hirsuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Herpestis monniera* (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hesperethusa alata* (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hesperethusa crenulata* (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hetaeria obliqua* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heterophragma quadriloculare* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heterophragma roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heterostemma piperifolium* KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heylandia latebrosa* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus cancellatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus ficulneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus furcatus* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus hirtus* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus hispidissimus* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus lampas* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus lunariifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus manihot* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus micranthus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus obtusifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus ovalifolius* (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus vitifolias* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hieracium umbellatum* L. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hieracium virosum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hippophae salicifolia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hippophae tibetana* SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hiptage benghalensis* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hiptage madablota* GAERTN and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hitchenia caulina* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hodgsonia macrocarpa* (BL.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holarrhena antidysenterica* (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holboellia latifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna arnottiana* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna ferruginea* MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna grahamii* (WGT.) KURZ and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna nigra* BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holmskioldia sanguinea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holoptelea integrifolia* (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holostemma ada-kodien* SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holosteum umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homalomena aromatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homalomena rubescens* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homonoia retusa* (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homonoia riparia* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea glabra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea odorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea ponga* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoppea dichotoma* WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hornstedtia costata* (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Horsfieldia irya* (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hovenia acerba* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya carnosa* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya globulosa* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya multiflora* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya ovalifolia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya pendula* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya viridiflora* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hoya wightii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Humboldtia unijuga* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Humboldtia vahliana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Humulus lupulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hunteria corymbosa* ROXB. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hunteria legocii* SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Huperzia phlegmaria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hybanthus enneaspermus* (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyderangea macrophylla* (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus alpina* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus anthelminthica* PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus inebrians* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus kurzii* (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus laurifolia* (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus macrocarpa* (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus octandra* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus venenata* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus wightiana* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnophytum Kalammanense* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnophytum formicarium* JACK and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrangea arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrastis canandensis* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrilla verticillata* (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocotyle javanica* THUNB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocotyle javanica* THUNB. *PODUNTHA* *MOLKENBOER* EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocotyle rotundifolia* ROXB. *NULL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocotyle sibthorpiodes* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrolea zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila polysperma* (ROXB.) AND. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila salicifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila spinosa* T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hygrophila aristata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenaea courbaril* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenaea hornemannianum* (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenocrater sessilifolius* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenodictyon excelsum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenodictyon obovatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenodictyon orixense* (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyoscyamus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyoscyamus muticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyoscyamus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyoscyamus pusillus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyoscyamus reticulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyoscyamus squarrosus* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypocoum leptocarpum* HOOK. F. & THOMS. NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypocoum pendulum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypocoum procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyperanthera moringa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum cernuum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum elodeoides* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum humifusum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum japonicum* THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum laxum* (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum monanthemum* HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum monogynum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum oblongifolium* CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum patulum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum perforatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum sampsoni* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum uralum* BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypobathrum microcarpum* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypochaeris glabra* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypodematum crenatum* (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypolepis punctata* (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypolytrum nemorum* (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypoxis aurea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypoxis orchoides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ichnocarpus frutescens* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex denticulata* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex godajam* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex paraguariensis* A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex wightiana* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Illecebrum lanatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Illicium anisatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Illicium griffithii* HOOK.F. & TH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Illicium religiosum* S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Illicium verum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Illigera appendiculata* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Illigera villosa* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilysanthes oppositifolia* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilysanthes reptans* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens brachycentra* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens gigantea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens glandulifera* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens minor* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens roylei* WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens scabrida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens tilo* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens tripetala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Imperata arundinacea* CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Imperata cylindrica* (L.) RAEUSCH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Incarvillea emodi* (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera anil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera argentea* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera caerulea* ROXB. *caerulea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera cassioides* ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera ennaephylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera galegoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera glandulosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera hebepetala* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera heterantha* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera linifolia* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera linnaei* ALI and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera oblongifolia* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera trita* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indigofera uniflora* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indoneesiella echicides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indoneesiella echioides* (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Indoneesiella intermedia* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Intsia bijuga* (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula cappa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula grantioides* BOISS and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula helenium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula obtusifolia* KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Inula royleana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ionidium enneaspermum* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea biloba* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea bona-nox* HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea burmanni* CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea cairica* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea candicans* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea carnea* (MART. EX CHOISY) AUSTIN.

fistulosa (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea carnea* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea coptica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea fastigiata* (ROXB.) SWEET NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea fistulosa* MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea glaberrima* BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea hederacea* AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea hederifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea hispida* ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea illustris* (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea involucrata* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea marginata* (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea maxima* G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea muricata* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea nil* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea obscura* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea paniculata* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea pes-caprae* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea purga* (WEND.) HEYNE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea purpurea* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea reniformis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea reptans* (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea indica* STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea staphylina* R, BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea tridentata* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea turbinata* LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea turpethum* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea uniflora* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ipomoea vitifolia* SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris decora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris ensata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris florentina* KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris foetidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris germanica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris kashmiriana* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris kemaonesis* D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris nepalensis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris songarica* SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iris versicolor* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isachne globosa* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum muticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum pilosum* HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ischaemum rugosum* SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isopyrum acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isopyrum anemonoides* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Isopyrum thalictroides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Itea chinensis* HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora arborea* ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora brunnescens* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora cuneifolia* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora grandiflora* Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora nigricans* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora parviflora* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora pavetta* ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora polyantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora sub-sessilis* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ixora undulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *JacarKalam acutifolia* HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jacobinia tinctoria* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jaeschkea gentianoides* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Janakia arayalpathra* JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum anastomozans* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum angustifolium* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum auriculatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum azoricum* L. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum bignoniaceum* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum calophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum cuspidatum* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum malabaricum* WIGHT and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum multiflorum* (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum nervosum* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum pubescens* (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum ritchiei* CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum rottlerianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum sambac* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum sambac* AIT. *heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum scandens* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum subhumila* W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum trichotomum* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jasminum undulatum* KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jateorhiza palmata* (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha glandulifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha glandulosa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha glauca* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha montana* WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha nana* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jatropha panduraefolia* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Joannesia princeps* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juglans regia* L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juncellus inundatus* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juncus inflexus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juncus lampocarpus* EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juncus prismatocarpus* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juniperus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juniperus excelsa* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juniperus indica* BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juniperus macropoda* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juniperus polycarpus* C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juniperus recurva* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jurinea dolomiaea* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jurinea himalaica* STEWART NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jurinea macrocephala* (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jurinea macrophylla* BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jussiaea repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jussiaea suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Jussiaea tenella* BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia acaulis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia beddomei* (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia bicalyculata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia bilvalvis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia ecbolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia gendarussa* BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia madurensis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia nasuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia paniculata* (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia picta* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia prostrata* (CL.) GAMBLE. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia repens* DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia simplex* DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kaempferia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe integra* (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe laciniata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe pinnata* (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe rosea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalanchoe spathulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kallstroemia pubescens* (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kandelia rheedei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kedrostis foetidissima* (JACQ.) COGN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kedrostis rostrata* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kickxia ramosissima* (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kigelia africana* (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kigelia pinnata* (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kirganelia reticulata* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kleinia grandiflora* (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knema angustifolia* (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knema attenuata* (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knema linifolia* (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia brachycarpa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia roxburghii* (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Knoxia sumatrensis* (RETZ.) DC. hookeriana BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kochia indica* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kochia scoparia* (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kochia sedoides* SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Koelpinia linearis* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kokoona zeylanica* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kopsia flavida* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kopsia fruticosa* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kurrimia bipartita* M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kyllinga triceps* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lablab purpureus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca heyneana* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca scariola* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca serriola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca tatarica* C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lactuca virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagascea mollis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagascea spinosissima* COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagenandra ovata* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagenandra toxicaria* (L.) THW. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagenaria leucantha* RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagenaria siceraria* (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagenaria vulgaris* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia flos-reginae* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia hirsuta* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia microcarpa* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia parir-flosh* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia reginae* PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagerstroemia speciosa* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagdera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagdera aurita* (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagdera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagdera flava* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagdera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lagotis glauca* GAERTN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laminaria saccharina* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lamium album* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lamium amplexicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lamprachaenium microcephalum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lancea tibetica* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lannea grandis* (DENNST.) ENGL. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lansium domesticum* JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana camara* L. *aculeata* (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana camara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lantana indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laportea crenulata* GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laportea interrupta* (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Larrea tridentata* (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasia aculeata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasia heterophylla* SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasia spinosa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasianthus Kalammanicus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasiosiphon eriocephalus* (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lasiurus hirsutus* (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lastrea filix-mas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathraea squamaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus altaicus* LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus inconspicuus* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus luteus* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus odoratus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus pratensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lathyrus sphaericus* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea aspleniifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea capitata* (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea chondrilloides* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea glomerata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea nudicaulis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea pinnatifida* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea remotiflora* (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea resedifolia* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea sarmentosa* (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launaea acaulis* (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launea procumbens* (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Launea sarmentosa* ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens chandrasekharanii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens clavicornu* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens cordata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens crenata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens dasysperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens debilis* Turez. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens denisonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens disotis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens diversifolia* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens elegans* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens floribunda* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens fruticosa* Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens goughii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens grandis* Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens hirsutissima* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens herbicola* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens hookeriana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens inconspicua* Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens jerdoniae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens laticornis* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens lawsonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens lenta* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens leptura* Hook. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens levingei* Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens ligulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens maculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens minor* (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens modesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens munronii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens neo-barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens nilgirica* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens orchioides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens parasitica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens parvifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens phoenicea* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens rufescens* Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens scabriuscula* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens scapiflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens tangachee* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens tenella* Heyne ex Wight & Arn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens tomentosa* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens trichocarpa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens umbellata* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens uncinata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens viridiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens viscida* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens viscosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens wightiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acronychia pedunculata* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aegle marmelos* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atalantia monophylla* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atalantia racemosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Atalantia wightii* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Choisya ternata* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus aurantifolia* (Christm.) Swingle and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus limon* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus maxima* (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus nobilis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus reticulata* Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Citrus sinensis* (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena austro-indica* B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena dentata* (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena indica* (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clausena lansium* (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euodia fraxinifolia* (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fortunalla japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis angustifolia* Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glycosmis tirunelveli*ensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Naringi crenulata* (Roxb.) Nicolson and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pamburus missionis* (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paramigyna beddomei* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paramignya monophylla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toddalia asiatica* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna integerrima* (Lour.) Merr. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna gamblei* King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Boswellia serrata* Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium strictum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canarium vulgare* Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora berryi* (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garuga pinnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaiia apiocarpa* (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaiia barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaiia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaiia domestica* (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaiia elaeagnoidea* (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia edulis* (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cipadessa baccifera* (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysoxylum ficiforme* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dysoxylum malabaricum* Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Naregamia alata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reinwardtiadendron anamallayanum* (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sandoricum koetjape* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Soyimida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichilia connaroides* (Wight & Arn.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anacolosa densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olex scandens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olax imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olax imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strombosia ceylanica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cansjera rheedii* Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opilia amentacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Apodytes dimidiata* E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphandra coriacea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miquelia dentata* Bedd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothapodytes nimmoniana* (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrenacantha volubilis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostigma kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythralum populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex opaca* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cassine paniculata* (Wight & Arn.) Loeb.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus angulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus barberi* C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus crenulatus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus dichotomous* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus indicus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus japonicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus kanyakumariensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loeseneriella bourdillonii* (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microtropis latifolia* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microtropis ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microtropis ramiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microtropis stocksii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microtropis wallichiana* Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleurostylia opposita* (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reissantia grahamii* (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reissantia indica* (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hovenia acerba* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maesopsis eminii* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sageretia parviflora* (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ventilago gamblei* Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ventilago goughii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ventilago madraspatana* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus glabrata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus horrida* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus incurva* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus mauritiana* Lam. var. *mauritiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra*

Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cayratia trifolia* (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus arnottiana* B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus adnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus discolor* Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus latifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus glyptocarpa* (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus heyneana* (Wall. ex Lawson) Planch. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus repKalam* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus repens* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrastigma leucostaphylum* (Dennst.) Alston and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrastigma nilagiricum* (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea guineensis* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea indica* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Allophylus cobbe* (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepisanthes tetraphylla* (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Otonephelium stipulaceum* (Bedd.) Radlk. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapindus trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schleichera oleosa* (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanthus major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turpinia malabarica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turpinia cochinchinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buchanania axillaris* (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna arnottiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna beddomei* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna ferruginea* Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia travancorica* Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia vajravelui* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus mysorensis* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus paniculata* Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schinus molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schinus terebinthifolius* Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Semecarpus anacardium* L. var. *anacardium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moringa concanensis* Nimmo ex Gibbs. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Connarus wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ellipanthus tomentosus* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rourea minor* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abrus fruticulosus* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abrus pulchellus* Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynomene americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus beddomei* Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus racemosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Butea purpurea* (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus albicans* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus goensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus lineata* (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus cajan* (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus rugosus* (Wight & Arn) Maesen and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus scarabaeoides* (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cajanus trinervius* (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Centrosema pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chorizema ilicifolium* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laurentia longiflora* (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laurus cassia* BURM.F. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laurus cinnamomum* ( L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Laurus nobilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lavandula bipinnata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lavandula burmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lavandula carnosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lavandula stoechas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lawsonia spinosa* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lechea verticillata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea alata* EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea arguata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea asiatica* (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea aspera* EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea bracteata* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea compactiflora* KURZ. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea crispa* V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea guineensis* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea hirta* ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea indica* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea macrophylla* ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea robusta* ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leea sambucina* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lemanea australis* ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lemna phyllum carnosum* (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lemna globosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lemna obcordata* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lemna perpusilla* TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lens culinaris* MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lens esculenta* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonotis nepetaefolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leontopodium jacotianum* BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonurus cardiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonurus hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonurus incurva* DON. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonurus japonicus* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonurus sibiricus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leonurus stelligera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepeocercis serrata* TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepianthes umbellata* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis cristata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis incurva* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis pungens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis scariosa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis trinervia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidagathis trinervis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium capitatum* HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium draba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium iberis* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium iberis* POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium latifolium* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium perfoliatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium virginicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepionorus sylvestris* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepionurus sylvestris* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepisanthes Kalammanica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptadenia pyrotechnica* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptadenia spartium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptochloa malabarica* (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lettsomia aggregata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas capitata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas cephalotes* (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas ciliata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas flaccida* R.BR. *scaberula* (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas indica* (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas lanata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas lavandulifolia* J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas linifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas mollissima* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas stelligera* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas urticaefolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas zeylanica* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucosceptrum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leucas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Licuala spinosa* WURMB. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligularia jacquemontiana* (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligusticum elatum* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum indicum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum lucidum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum nicum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ligustrum robustum* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lilium candidum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lilium giganteum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lilium martagon* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lilium neilgherrense* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lilium polyphyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lilium wallichianum* SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnanthemum cristatum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnanthemum indicum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnanthemum nymphaeoides* LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila gratioloides* R.BR. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila gratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila rugosa* (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophila sessiliflora* (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnophyton obtusifolium* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limodrum spatulatum* WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limonia alata* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limonia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linaria cirrhosa* H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linaria minor* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linaria ramosissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindelia longiflora* (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindenbergia indica* (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindenbergia urticaefolia* LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindera caudata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindera neesiana* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindera pulcherrima* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia anagallis* (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia antipoda* (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia caespitosa* (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia ciliata* (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia cordifolia* (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia crustacea* (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia hyssopioides* (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia oppositifolia* (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia procumbens* (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia pyxidaria* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia rotundifolia* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindernia ruellioides* (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lindsaea cultrata* (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linociera malabarica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linociera ramiflora* (ROXB.) WALL. EX G. DON

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linum perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linum strictum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis nervosa* (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liparis parviflora* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lippia geminata* H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lippia nodiflora* MICH. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liqustrum indicum* (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litchi chinensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lithocarpus pachyphyllus* (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lithospermum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lithospermum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea citrata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea cubeba* (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea glutimosa* (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea glutinosa* (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea lancifolia* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea monopetala* (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea polyantha* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea quinqueflora* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea sebifera* PERS. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea stocksii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea umbrosa* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Litsea zeylanica* C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia alsinoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia cordigera* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia excelsa* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia inflata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobelia pyramidalis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobularia maritima* DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lochnera pusilla* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lochnera rosea* REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lodoicea maldivica* (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lodoicea seychellarum* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lomatogonium carinthiacum* (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera glauca* HK. F. & T. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera japonica* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera leschenaultii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera macrantha* (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lonicera webbia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loranthus coriaceus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loranthus elasticus* DESR. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loranthus longiflorus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lotus corniculatus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Loxococcus rupicola* WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia adscendens* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia hyssopifolia* (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia octovalvis* (JACQ.) RAVEN and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia peruviana* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ludwigia prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa acutangula* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa acutangula* ROXB. amara (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa aegyptiaca* MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa amara* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa cylindrica* (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa echinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa graveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa graveolens* ROXB. *longistyla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa pentandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luffa umbellata* (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luisia tenuifolia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lumnitzera racemosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lupinus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lupinus angustifolius* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lupinus digitatus* FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lupinus luteus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luvunga scandens* (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Luzula campestris* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lychnis apetala* L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lychnis coronaria* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA

(WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycianthes laevis* (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycium barbarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycium europaeum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycium ruthenicum* MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycoperdon gemmatum* BATSCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycoperdon pusillum* PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycopersicon esculentum* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycopersicon lycopersicum* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycopersicon esculentum* MILL. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycopodium cernuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycopodium clavatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycopodium phlegmaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycopus europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lycoris radiata* (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lygodium circinatum* (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lygodium flexuosum* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lygodium japonicum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lygodium microphyllum* (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lygodium pinnatifidum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lygodium scandens* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lyonia ovalifolia* (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maba bauxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maba buxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macadamia ternifolia* F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga indica* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga nicobarica* BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga peltata* (ROXB.) MUELL.-ARG. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga roxburghi* WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga tanarius* (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macaranga tetracoccus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Machilus bombycina* KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Machilus macrantha* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Machilus villosa* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macropanax dispermus* (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrosolen parasiticus* (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrotomia benthamii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrotomia perennis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrotomia speciosa* AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Macrotyloma uniflorum* (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca butyracea* (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca diplostemon* (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca indica* GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca insignis* (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca longifolia* (KOEN.) MACLER and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca malabarica* (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Madhuca neriifolia* (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maerua apetala* (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maerua arenaria* HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia borealis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia manipurensis* TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia pycnophylla* (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia sikkimensis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia simonsii* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Majorana hortensis* MOENCH and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malachra capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malaxis acuminata* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malaxis biloba* (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malaxis mackinnonii* (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malaxis muscifera* (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malaxis rheedei* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus ferrugineus* (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malpighia puniceifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malus pumila* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malus sylvestris* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malva neglecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malva parviflora* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malva rotundifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malvastrum americanum* (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malvastrum coromandelianum* GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mammea americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mammea longifolia* PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mangifera domestica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mangifera sylvatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manihot esculenta* CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manihot utilisima* POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manilkara hexandra* (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manilkara kauki* (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manilkara zapota* (L.) VAN ROYEN and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Manisuris granularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maoutia puya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mappia foetida* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maranta arundinaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marchantia palmata* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marchantia polymorpha* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus concinnus* SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marlea tomentosa* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marrubium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia brunoniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia hamiltonii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia lucida* EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia roylei* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia tenacissima* (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsdenia volubilis* (L.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsilea dentata* KUNTZE. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Martnia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Martynia diandra* GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mastisia assamica* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mastixia arborea* CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mathiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Matricaria chamomilla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Matricaria lasiocarpa* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Matricaria recutita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Matthiola flavida* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Matthiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Matthiola tristis* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mattiastrium thomsonii* (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maytenus emarginata* (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maytenus heyneana* (ROTHY) RAJU & BABU NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maytenus senegalensis* (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meconopsis wallichii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mecoropsis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Medicago lupulina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Medicago minima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Medicago polymorpha* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Megacarpaea polyandra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca cajaputi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanorrhoea curtisii* OLIV. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanorrhoea usitata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanorrhoea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanthesa rhamnoides* (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanthesa turbinata* (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanthium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melasma thompsonii* (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melastoma affine* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melastoma asperum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melastoma decemfidum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melia azadirachta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melia composita* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melia dubia* HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melanthus major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melica ciliata* DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melica jacquemontii* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melilotus indica* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melilotus officinalis* (L.) PALL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melilotus parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meliosma arnottiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meliosma simplicifolia* (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melocanna bambusoides* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melothria heterophylla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melothria indica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon angustifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon edule* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon gracile* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon heyneanum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon malabaricum* (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon sessile* BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon talbotianum* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Memecylon umbellatum* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Menanthes sumatrana* (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Menispermum cocculus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Menispermum columba* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Menispermum cordifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Menispermum glabrum* BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha cordifolia* OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha crispa* GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha dumetorium* SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha longifolia* (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha mulleriana* SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha niliaca* JACQ. *alopecuroides* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha piperita* STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha pulegium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha rotundifolia* (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha verticillata* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mentha viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meriandra benghalensis* BENTH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meriandra strobilifera* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia dissecta* (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia emarginata* (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia gangetica* (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia hastata* (DESR. ) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia hederacea* (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia mammosa* (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia peltata* (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia tridentata* (L.) HALLIER tridentata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia tridentata* (L.) HALL. *F. hastata* (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia tridentata* (L.)H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia tuberosa* (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia turpethum* RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia umbellata* (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Merremia vitifolia* (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mesembryanthemum crystallinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Metathelypteris gracilescens* (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Michelia doltsopa* BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Michelia montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Michelia nilagirica* ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micranthus oppositifolius* WENDL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microcos paniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microglossa pyrifolia* (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microglossa volubilis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microlepis puberula* VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microlepis speluncae* (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micromelum hirsutum* OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micromelum integerrimum* (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micromelum minutum* (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micromelum pubescens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micromeria biflora* (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micromeria capitellata* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micrometum integerrimum* (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Micropus xanthopus* (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microrhynchus nudicaulis* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microsorium alternifolium* COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microsorium punctatum* (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microstegium ciliatum* A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microstylis muscifera* RIDL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microstylis saprophyta* KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microstylis versicolor* (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microstylis wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Microula tibetica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mikania micrantha* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miliusa roxburghiana* (GRIFF.) HK. F. & TH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miliusa tomentosa* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miliusa velutina* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia caudata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia pachycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia piscidia* WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millettia racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Millingtonia hortensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa abstergens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa cineraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa ferruginea* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa flexuosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa hamata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa intsia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa invisa* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa lucida* ROXB. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa paniculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa pudica* L. *hispida* BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa pudica* L. *tetrandra* (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa pudica* L. *unijuga* (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa rubicaulis* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa rubicaulis* LAMK. *himalayana* (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa spinisilqua* KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimosa suma* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimulus moschatus* DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimulus strictus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimusops hexandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimusops indica* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mimusops kauki* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mischocarpus sundaicus* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Modecca wightiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania bracteata* HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania chappar* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania macrophylla* KUNTZE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania nana* MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania phursia* O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania semialata* (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania stricta* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania strobilifera* J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moghania tuberosa* KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Molineria crassifolia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Molinia coerulea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo cerviana* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo hirta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo lotoides* (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo nudicaulis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo nudicaulis* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo spargula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica balsamina* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica charantia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica charantia* L. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica cochinchinensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica cymbalaria* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica dioica* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica exserta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica muricata* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica tuberosa* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Momordica umbellata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monetia barlerioides* L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moniera cuneate* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moniera cuneifolia* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monochoria hastaefolia* PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monochoria hastata* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Monotropa uniflora* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morchella esculenta* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morina coulteriana* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morina longifolia* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda angustifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda coreia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda pubescens* J.E.SMITH IN REES *pubescens* VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda pubescens* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda tinctoria* ROXB. *tomentosa* (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda tomentosa* HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moringa conconensis* NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moringa oleifera* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moringa pterygosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus acedosa* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus australis* POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus laevigata* WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Morus nigra* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moschosma polystachyum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Moullava spicata* (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna bracteata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna capitata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna cochinchinensis* Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna gigantea* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna hirsuta* WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna monosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna nigricans* (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna pruriens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna prurita* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mucuna utilis* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mukia maderaspatana* (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mukia scabrella* (L.F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mundulea suberosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Munronia pinnata* (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Muntingia calabura* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia edulis* (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia elata* (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia japonica* (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia scapiflora* (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia semiteres* (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa chinensis* SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa ornata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa paradisiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa rosacea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa sapientum* O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa sapientum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa superba* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa textilis* NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa troglodytarum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Musa velutina* WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda belilla* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda erythrophylla* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda glabra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda glabrata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mutilla occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrica integrifolia* ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrica nagi* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrica pensylvanica* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrica sapida* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myricaria bracteata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myricaria coulteriana* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myricaria elegans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myricaria germanica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrioneuron nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myriophyllum spicatum* LINN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica laurifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myristica officinalis* L..F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myriopyrum similacifolium* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrsine semiserrata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrtus caryophyllata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myxopyrum serratum* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Myxopyrum smilacifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nannorrhops ritchieana* H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Naravelia zeylanica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Narcissus tazetta* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nardostachys grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nardostachys jatamansi* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Naregamia alata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Naringi crenulata* (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nasturtium fontanum* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nasturtium indicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nasturtium officinale* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nasturtium palustre* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nauclea missionis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nauclea orientalis* (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis hirsuta* (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neillia thyrsiflora* DON and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nelsonia canescens* (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nelumbium speciosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nelumbo nucifera* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neodissochaeta celebica* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepenthes distillatoria* AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepenthes khasiana* KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta cataria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta ciliaris* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta coeruleascens* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta connata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta discolor* ROYLE EX BENTH. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta elliptica* ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta eriostachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta glomerulosa* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta glutinosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta hindostana* (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta leucophylla* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta longibracteata* (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta malabarica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta podostachys* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta royleana* STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta ruderalis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nepeta spicata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nephelium lappaceum* LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nephelium litchi* (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nephelium longana* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nephelium stipulaceum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nephrolepis biserrata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nephrolepis cordifolia* (L.) PRESL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neptunia natans* (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neptunia oleracea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neptunia prostrata* (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neptunia triquetra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerium antidysentericum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerium coronarium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerium indicum* MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerium odorum* SOLANED and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nerium tomentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nervilia aragoana* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nervilia plicata* SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nesaea lanceolata* (WT. &ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nesaea prostrata* (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neuracanthus sphaerostachyus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Neuracanthus trinervis* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicandra physalodes* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana macrophylla* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana plumbaginifolia* VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Niebuhreria linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nilgiranthus heyneanus* (NEES) BREMEK. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nipa fruticans* WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nomocharis nana* (KLOTZ.) WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nopalea cochenillifera* (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothapodytes nimmoniana* (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Notholaena eckloniana* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopanax fruticosum* MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia castaneifolia* (Roth) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothopegia colebrookiana* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nothosaerva brachiata* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Notonia grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea caerulea* SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea cyanea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea edulis* D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea lotus* HOOK. F.( NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea nouchali* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea odorata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea pubescens* WILLD. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea rubra* ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea stellata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea tetragona* GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides cristata* (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides hydrophylla* (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides indicum* (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides macrospermum* VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphoides peltata* (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nypa fruticans* Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochlandra brandisii* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochlandra travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna gamblei* KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna lanceolata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna obtusata* DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna pumila* HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochna squarrosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochradeneus baccatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochradenus baccatus* DEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochreinauclea missionis* (WALL. EX G. DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochrocarpus longifolius* (WIGHT) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ochthochloa coracana* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum adscendens* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum album* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. *majus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. *pilosum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum basilicum* L. *minimum* DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum canum* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum sanctum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Odina pinnata* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Odina woder* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenanthe javanica* (BI.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oenothera biennis* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis acuminata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis imbricata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis nana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia auricularia* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia biflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia corymbosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia dichotoma* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia diffusa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia glandulifera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia herbacea* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia heynii* BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oldenlandia umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea cuspidata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea europea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea ferruginea* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea glandulifera* WALL. EX DON and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oleandra pistillaris* (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oleandra wallichii* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Onosma echioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Onosma hispidum* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Onosma hookeri* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Onychium contiguum* (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Onychium japonicum* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Onychium siliculosum* (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Operculina petaloidea* (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Operculina turpethum* (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophelia angustifolia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophelia elegans* WIGHT and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophioglossum fibrosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophioglossum nudicaule* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophioglossum pendulum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophioglossum thermale* KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophioglossum vulgaatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophioglossum vulgatum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiopogon intermedius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiopogon japonicum* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiopogon wallichianus* HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza nicobarica* BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza nutans* C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza ochroleuca* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza pauciflora* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiorrhiza rugosa* WALL. ARGUITEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophioxylon serpentinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophiuros exaltatus* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ophrestia pentaphylla* (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opilia amentacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oplismenus burmannii* (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opopanax chironium* KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia cochinellifera* MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia dillenii* (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia elatior* MILL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia nigricans* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia stricta* (HAW.) HAW. *dillenii* (KER.GAWL) BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orchis chusua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orchis habenarioides* K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orchis latifolia* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orchis laxiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orchis mascula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orchis spathulata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oreocnide frutescens* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oreocnide integrifolia* (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Origanum majorana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Origanum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ormocarpum cochinchinense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ormocarpum sennoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ormosia travancoria* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orobancha aegyptiaca* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orobancha solmsii* CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orophea katschallica* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oroxylum indicum* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon aristatus* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon diffusus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon glabratus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon grandiflorus* BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon incurvus* BENTH. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon pallidus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon rubicundus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon spiralis* (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon stamineus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orygia decumbens* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza granulata* Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza mutica* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osbeckia zeylanica* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osmunda claytoniana* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osyris arborea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osyris quadripartita* SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Osyris wightiana* WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Othonnopsis intermedia* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Otostegia aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Otostegia limbata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ottelia alismoides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ougeinia dalbergioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0.

DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis pubescens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxyria digyna* (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxyspora paniculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxystelma esculentum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxystelma secamone* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxytenanthera nigrociliata* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxytenanthera thwaitesii* MUNRO and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxytropis mollis* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxytropis tatarica* BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pachyrrhizus angulatus* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pachyrrhizus erosus* (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pachystoma senile* (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paederia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paederia scandens* (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paederia tomentosa* BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paeonia emodi* WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pajanelia longifolia* (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Palaquium ellipticum* (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Palhinhaea cernua* (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pamburus missionis* (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panax ginseng* MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panax pseudoginseng* WALL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panax quinquefolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panax wangianus* Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pancreas triflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pancreas zeylanicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus foetidus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus furcatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus kaida* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus odoratissimus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus tectorius* AUCTION and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus thwaitesii* MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *PKalamnus unipapillatus* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum antidotale* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum argyriacum* HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum brizoides* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum crus-corvi* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum flavo-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum floro-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum frumentaceum* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum incomitum* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum isachne* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum italicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum maximum* FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum maximum* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum milliare* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum psilopodium* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum psilopodium* TRIN. *psilopodium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum sarmentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum stagninum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver argemone* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver dubium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver hybridum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver nudicaule* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paphiopedilum druryi* (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papilionanthe teres* (ROXB.) SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paracalyx scariosa* (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parameria barbata* (BL.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parameria polyneura* HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paramignya angulata* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paramignya longispina* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paramignya monophylla* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pardanthus chinensis* KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paris polyphylla* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parkia biglandulosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parkia javanica* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parkia roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parkia timoriana* (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parkinsonia aculeata* L.SP. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parmelia cirrhata* FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parmelia kamstchadalis* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parmelia nilgherrensis* NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parmelia perforata* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parmelia perlata* (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parmignya monophylla* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parnassia laxmannii* PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parnassia nubicola* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parnassia palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parnassia pusilla* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parochetus communis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parsonia alboflavescens* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parsonia helicandra* HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parsonia laevigata* (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parsonia spiralis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pasania truncata* (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum conjugatum* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum distichum* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paspalum scrobiculatum* L. *commersonii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora assamica* CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora edulis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pausinystalia yohimba* PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavetta tomentosa* ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavonia odorata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavonia procumbens* SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavonia propinqua* GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavonia repKalam* (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavonia zeylanica* CAV. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Payena lucida* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pecteilis susannae* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis cheilanthifolia* SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis comosa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis pectinata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis pycnantha* BOISS. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peganum harmala* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pegia nitida* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium roseum* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peliosanthes bakeri* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peliosanthes teta* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pellaea colomelanos* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pellaea hastata* (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peltigera canina* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peltophorum pterocarpum* (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pemphis acidula* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum alopecuroides* (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum americanum* (L.) LEEKE and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum compressum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum flaccidum* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum glaucum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum spicatum* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pennisetum typhoideum* (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentanema indicum* (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentaneura khasiana* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentaptera tomentosa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentatropis capensis* (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentatropis cynanchoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentatropis spiralis* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia reflexa* (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peranama cyatheoides* D.DON NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pergularia aktensa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pergularia daemia* (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pergularia extensa* N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pergularia tomentosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pericampylus glaucus* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pericampylus incanus* MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Perilepta auriculata* (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Perilla frutescens* (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Perotis indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Perovskia abrotanoides* KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Perovskia atriplicifolia* BENTH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persea fructifera* KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persea gamblei* (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Persea macrantha* (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petrea volubilis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Petroselinum crispum* NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peucedanum aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peucedanum dhana* BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peucedanum grande* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peucedanum graveolens* BENTH. EX HOOK.F. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Peucedanum nagpurens* (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaius grandifolius* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaius tancarvilleae* (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaius wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phalaenopsis amabilis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phalaris arundinacea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phalaris canariensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phallus rubicundus* (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pharbitis nil* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pharnaceum cerviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pharnaceum mollugo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus adenanthus* G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus mungo* (L) MANT. *radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus pauciflorus* DALZ. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus roxburghii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus semierectus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus sublobatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus trilobus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlegmarius phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlogacanthus thrysiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlogacanthus thyrsoformis* (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phlomis bracteosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoebe lanceolata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoebe wightii* MEISSN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix asperulatus* HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix dactylifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix farinifera* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix humilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix loureirii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix paludosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix pusilla* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoenix sylvestris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pholidota chinensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pholidota imbricata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pholidota pallida* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Photinia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Photinia serrulata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phragmites communis* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phragmites karka* TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phragmites maxima* BLATTER & MCCANN and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phrymum dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus rotundifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus acidus* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus clarkei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus debilis* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus distichus* (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus fraternus* WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus gomphocarpus* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus indofischeri* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus missionis* HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus mukherjeeanus* MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus multiflorus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus niruri* SENSU HOOK.F. Non Linn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus polyphyllus* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus reticulatus* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus rhamnoides* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus rheedii* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus simplex* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllochlamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phymatodes scolopendria* (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis alkekengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis alkekengi* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis divaricata* D.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis flexuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis minima* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physochlaina praealta* (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Physostigma venenosum* BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phytolacca acinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phytolacca americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picrasma guassoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picea abies* (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picrasma javanica* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picrasma nepalensis* BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picrasma quassioides* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picrorhiza kurroa* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picrorhiza scrophulariiflora* PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Picrorrhiza kurroa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pieris ovalifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pilea microphylla* (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pilea umbrosa* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piliostigma malabaricum* (ROXB.) BENTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pilocarpus jaborandi* HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimenta acris* KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimenta racemosa* J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella anisum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella bracteata* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella diversifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella heyneana* (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella involucrata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella saxifraga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella stocksii* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pimpinella tirupatiensis* BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinanga dicksonii* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinanga manii* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus dammara* LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus deodara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus excelsa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus griffithii* M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus insularis* ENDL. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus kesiya* GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus longifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus maritima* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus merkussi* JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus picea* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus roxburghii* SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus sylvestris* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus wallichiana* JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pinus webbiana* WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper argyrophyllum* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper attenuatum* BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper aurantiacum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper auranticum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper baccatum* CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper bachystachyum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper bantamense* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper barberi* GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper betle* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper betleoides* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper boehmeriaefolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper caninum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper chaba* HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper clusii* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper crassipes* KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper cubeba* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper dichotomum* HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper diffusum* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper gamblei* Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper griffithii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper guineense* SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper lanceolatum* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper mullesua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper pedicellatum* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper pedicellosum* WALL. EX CASS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper peepuloides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper retrofractum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper ribesoides* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper sarmentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper sylvaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper thomsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper thomsonii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper trichostachyon* (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper trioicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Piper wallichii* (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pipturus velutinus* WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisonia alba* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisonia grandis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisonia mitis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisonia morindifolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisonia umbellata* (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistacia chinensis* BUNGE integerrima (STEW) RECH.F.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistacia terebinthus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistacia vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pistia stratiotes* LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium angulatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium bigeminum* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium clypearia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium dulce* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium fasciculatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium globosum* KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium lobatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecolobium dulce* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecolobium subcoriaceum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pithecolobium umbelletum* (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum nepaulense* (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum nilghirens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pityrogramma calomelanos* (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Planchonella obovata* (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago arenaria* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago brachyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago ciliata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago depressa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago erosa* WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago himalaica* PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago ispaghula* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago lagocephala* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago lanceolata* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago media* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago psyllium* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago pumila* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago stocksii* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus ambonicus* (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus barbatus* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus coetsa* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus fruticosus* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus incanus* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus mollis* (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus nilgherricus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus rugosus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus striatus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus ternifolius* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Electronia didyma* KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Electronia parviflora* BEDD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleione maculata* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleopeltis lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleopeltis nuda* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plesmonium margareti*ferum (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleurospermum angelicoides* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleurospermum candollei* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pleurostyliia opposita* (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pluchea lanceolata* OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pluchea pinnatifida* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pluchea tomentosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumbago auriculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumbago capensis* THUNB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumbago rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumeria acuminata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plumieria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poa cynosuroides* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poa malabarica* KLEIN.EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podocarpus latifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podocarpus neriifolius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podophyllum hexandrum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poeciloneuron pauciflorum* BEDD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon auricularis* (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon benghalensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon cablin* (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon elsholtzioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon heyneanus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon paniculatus* (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon parviflorus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon patchouli* PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon plectranthoides* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poikilospermum suaveolens* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poinciana elata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poinciana pulcherrima* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polanisia felina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polanisia icosandra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polemonium caeruleum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia cerasoides* (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia longifolia* BENTH. & HOOK. F. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia simiarum* BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia suberosa* (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyanthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpaea corymbosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala abyssinica* (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala chinensis* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala crotalarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala erioptera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala glomerata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala irregularis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala leptalea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala longifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala persicariaefolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala senega* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala telephioides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala vulgaris* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygallata arillata* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonatum cirrhifolium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonatum multiflorum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonatum verticillatum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum affine* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum alatum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum alpinum* ALL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum amphibium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum amplexicaule* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum auriculatum* MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum aviculare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum bistorta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum capitatum* BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum convolvulus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum cymosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum flaccidum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum glabrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum hydropiper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum lapathifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum macrophyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum minus* HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum molle* D.DON. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum multiflorum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum nepalense* MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum paronychioides* MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum persicaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum plebeium* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum polystachyum* WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum posumbi* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum pulchrum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum recumbens* ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum roettleri* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum rumicifolium* ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum serrulatum* LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum sphaerostachyum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD stagninum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum stewartianum* DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum strigosum* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum tomentosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum tortuosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygonum viviparum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polypodium vulgare* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polystichum squarrosum* (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polytoca barbata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polytrichum juniperinum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pometia pinnata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ponerorchis chusua* (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pongamia glabra* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pongamia pinnata* (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pontederia vaginalis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Populus alba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Populus caspica* BORNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Populus ciliata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Populus euphratica* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Populus nigra* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Porana paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Porphyra umbilicalis* (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Porphyra vulgaris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca grandiflora* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca meridiana* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca pilosa* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca sativa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla anserina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla arbuscula* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla argyrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla atosanguinea* LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla bifurca* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla fragarioides* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla fruticosa* L. *rigida* (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla fulgens* WALL. EX HK.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla gerardiana* LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla kleiniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla lineata* TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla mooniana* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calophyllum polyanthum* Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia cowa* Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia wightii* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Garcinia xanthochymus* Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum androsaemum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum humifusum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum japonicum* Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum mysurense* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum patulum* Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hypericum wightianum* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Poeciloneuron pauciflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saurauia napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dipterocarpus indicus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea erosa* (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea glabra* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea parviflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea ponga* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hopea utilis* (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Shorea roxburghii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vateria indica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ancistrocladus heyneanus* Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus angulosus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus esculentus* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus ficulneus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus manihot* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss. Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon persicum* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Abutilon theophrastii* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alcea rosea* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus sabdariffa* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus schizopetalus* (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kydia calycina* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida mysorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida schimperiana* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bombax ellipticum* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dombeya mastersii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dombeya platanifolia* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dombeya spectabilis* Boj. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dombeya wallichii* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriolaena hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriolaena lushingtonii* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eriolaena stocksii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Firmiana colorata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melhaniania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melhaniania cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melhaniania hamiltoniana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melhaniania incana* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum canescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum diversifolium* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum obtusifolium* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum reticulatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterygota alata* (Roxb.) R. Br. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia guttata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia villosa* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Theobroma cacao* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corchorus urticifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia abutilifolia* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia abutilifolia* Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia barberi* Drumm. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia bracteata* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia damine* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia flavescens* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia gamblei* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia heterotricha* Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia hirsuta* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia lanceaefolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Grewia villosa* Willd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta pentandra* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta pilosa* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta rhomboidea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta rotundifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus amoenus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus blascoi* Weibel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus lanceifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus munronii* (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus recurvatus* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus rugosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus glandulosus* Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus tuberculatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elaeocarpus venustus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Linum usitatissimum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erythroxylum obtusifolium* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Galphimia gracilis* Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malpighia glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malpighia heteranthia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Malpighia punicifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tristellateia australasiae* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Balanites aegyptiaca* (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fagonia cretica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Erodium moschatum* (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium graveolens* L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium grossularioides* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium x hortorum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium inquinans* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pelargonium peltatum* Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tropaeolum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tropaeolum pentaphyllum* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Limnathes douglasii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum longibracteatum* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum polyphyllum* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis pubescens* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oxalis variabilis* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydrocera triflora* (L.) Wight & Arn. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens acaulis* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Impatiens campanulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla nepalensis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla reptans* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla salesoviana* STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla sericea* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla sibbaldi* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla sundaica* (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Potentilla supina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pothomorphe subpeltata* (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pothos cathcarti* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pothos kunstleri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pothos officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia bennettiana* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia frondosa* (DON) KTZE. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia hirta* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia indica* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia quinquenervis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia sanguinea* (BI.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia viminea* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pouzolzia zeylanica* (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prangos pabularia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pratia begonifolia* (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pratia nummularia* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna barbata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna coriacea* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna corymbosa* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna divaricata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna flavescens* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna integrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna latifolia* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna macrophylla* WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna mucronata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna obtusifolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna parasitica* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna thyrsoides* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Premna villosa* CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Primula denticulata* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Primula macrophylla* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Primula reticulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prinsepia utilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prismatomeris tetrandra* K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Priva cordifolia* (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Priva leptostachya* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prosopis chilensis* (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prosopis cineraria* (L.) DRUCE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Protium serratum* (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus amygdalus* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus carmesiana* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus cerasoides* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus cerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus ceylanica* (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus communis* FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus communis* HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus cornuta* (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus dulcis* (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus insitia* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus mahaleb* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus malus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus persica* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus salicina* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus triflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Prunus undulata* HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Przewalskia tangutica* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psalliotia campestris* L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psammogeton biternatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psammogeton canescens* (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudarthria viscida* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudodissochaeta assamica* (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pseuduvaria prainii* (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psidium cattleianum* SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psidium guajava* L. *pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psidium pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psidium pyriferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psidium quajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psilotrichum trichotomum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psilotum nudum* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psophocarpus tetragonolobus* DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria dalzielii* J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria glandulosa* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria ipecacuanha* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria sarmentosa* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria viridiflora* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Psychotria andryaloides* (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteridium aquilinum* (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris aquilina* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris biaurita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris cretica* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris ensiformis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris longipes* DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris multifida* POIR. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris vitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris wallichiana* AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pternandra coerulescens* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterocarpus dalbergioides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterocarpus indicus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterocarpus marsupium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterocarpus santalinus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterocymbium javanicum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteropyrum olivierii* JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum acerifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum canescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum diversifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum suberifolium* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pterygota alata* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pteris monium margaritifera* (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ptychopetalum olacoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ptychopetalum uncinatum* ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ptychotis ajowan* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pueraria hirsuta* (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pueraria lobata* (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pueraria phaseoloides* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pulicaria crispa* SCH.-BIP and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pulicaria dysenterica* (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pulicaria glaucescens* JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Puneeria coagulans* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pupalia lappacea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Putranjiva zeylanica* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pygeum gardneri* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pygeum wightianum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pygmaeopremna herbacea* (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pygmaeopremna pyrifolia* - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrethrum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrethrum umbeliferum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrola rotundifolia* LINN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrrosia adnascens* (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrrosia heterophylla* (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrrosia lanceolata* (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrrosia mannii* (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrrosia penangiana* (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus aucuparia* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus chinensis* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus cydonia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus lindleyi* REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus malus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus pashia* BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pyrus tomentosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quamoclit coccinea* MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quamoclit phoenicea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quamoclit pinnata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quamoclit vulgaris* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quassia indica* (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus acutissima* CARR. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus floribunda* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus ilex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus incana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus infectoria* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus lamellosa* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus leucotrichophora* A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus pachyphylla* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus robur* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quercus truncata* KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Radermachera xylocarpa* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia cochinchinensis* (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia densiflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia dumetorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia fasciculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia longiflora* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia longispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia malabaricum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia rugulosa* (THW.) HK.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia spinosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia tetrasperma* BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia tomentosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Randia uliginosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus aquatilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus cantoniensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus falcatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus hirtellus* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus tricuspid* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Raphanus caudatus* ALEF. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia canescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia micrantha* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia reflexa* T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ravenala madagascarensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reaumuria hypericoides* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reinwardtia indica* DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reinwardtia trigyna* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reissantia arborea* (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reissantia grahamii* (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reissantia indica* (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Remirea maritima* AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus dahuricus* PALL. REISE RUSS. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus purpurea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus purshiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus triquetra* (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus virgatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhamnus wightii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhaphidophora decursiva* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhaphidophora laciniata* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhaphidophora pertusa* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhazya stricta* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum acuminatum* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum australe* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum emodi* WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum moorcroftianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum nobile* HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum officinale* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum palmatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum rhaponticum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhinacanthus communis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhinacanthus nasuta* (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhinoglossum obliquum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhizophora apiculata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhizophora mangle* Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhizophora mucronata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhodamnia trinervia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhodiola imbricata* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron anthopogon* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron arboreum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron barbatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron campanulatum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron chrysanthum* PALL. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron cinnabarinum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron decipiens* LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron falconeri* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron javanicum* BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron lepidotum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron setosum* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhododendron thomsonii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhodomyrtus parviflora* ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhodomyrtus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhodomyrtus tomentosa* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus chinensis* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus coriaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus hookeri* SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus insignis* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus javanica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus punjabensis* J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus semialata* MURR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus succedanea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhus wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosarpha foetida* SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchoglossum obliquum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchosia nummularia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchospermum verticillatum* REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rhynchostylis retusa* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ribes alpestre* WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ribes emodense* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ribes grossularia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ribes himalense* ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ribes nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ribes orientale* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ribes rubrum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Riedlea corchorifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rikliella squarrosa* (L.) RAYNAL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rivea hypocrateriformis* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rivea ornata* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rocella montagnei* BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa islandica* (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa dubia* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa indica* (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa montana* SMALL and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa banksiae* AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa brunonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa chinensis* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa eglanteria* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa foetida* HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa macrophylla* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa moschata* HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa multiflora* THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa rubra* BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa sericea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosa webbiana* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Roscoeia alpina* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Roscoeia procera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Roscoeia purpurea* ROYLE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rostellularia procumbens* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rosularia rosulata* (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala baccifera* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala densiflora* (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala indica* (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Roylea elegans* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubia munjista* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubia sikkimensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubia tinctorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus biflorus* HAM. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus contennifer* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus ellipticus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus fruticosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus lasiocarpus* SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus lucens* FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus moluccanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus niveus* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus paniculata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus rugosus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus saxatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus strigosus* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rubus ulmifolicus* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rudolphia frondosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruellia patula* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruellia prostrata* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruellia secundra* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruellia strepens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruellia suffruticosa* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex dentatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex hastatus* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex hymenosepalus* TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex maritimus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex nepalensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex orientalis* BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex paulsenianus* RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia pectinata* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rungia repens* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruta angustifolia* PERS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ruta tuberculata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rytidix granularis* (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sabia lanceolata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sabia robusta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharomyces cerevisiae* MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum arundinaceum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum bengalense* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum ciliare* ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum fuscum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum munja* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum robustum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum sara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum sinense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sacciolepis indica* CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sacciolepis interrupta* (WILLD.) STAPF. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sageraea dalzelli* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sagittaria sagittifolia* L. *sagittifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saguerus rumphii* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia fruticosa* HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia grandiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia macrophylla* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia macrosperma* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia oblonga* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salacia reticulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salicornia brachiata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix acutifolia* WILLD. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix caprea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix daphnoides* VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix elegans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix pychnostachya* ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salix tetrasperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salmalia malabarica* SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salomonina cantoniensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salsola baryosma* (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salsola foetida* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salsola kali* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvadora indica* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvadora oleoides* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvadora wightiana* PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia bengalensis* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia cabulica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia coccinea* BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia glutinosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia haematodes* W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia hians* ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia lanata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia macrosiphon* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia moorcroftiana* WALL. EX BENTH and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia mukerjeea* BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia plebeia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia pumila* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia sclarea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvia spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Salvinia cucullata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalamdera indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalamdera lucida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Kalamnea Kalamn* (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sambucus ebulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sambucus hookeri* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sambucus javanica* REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sambucus wightiana* WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sandoricum indicum* CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sandoricum koetjape* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sanguinaria canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sanicula europaea* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria cylindrica* BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria ebracteata* (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Santalum flonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Santolina chamaecyparissus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapindus laurifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapindus trifoliatu*s L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapiu*m indicum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapiu*m insigne TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sapiu*m sebiferum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saponaria vaccaria* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saraca asoca* (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saraca indica* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcandra glabra* (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcocephalus cordatus* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcocephalus missionis* HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcolobus globosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma acidium* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma acidum* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma brevistigma* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma brunonianum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma intermedium* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma secamone* (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostemma stocksii* HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sarcostigma kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sassafras albidum* (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sassafras officinale* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Satureja hortensis* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Satureja montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Satyrion nepalense* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saurauia macrotricha* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea candicans* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea ceratocarpa* DECNE. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea costus* (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea gossypiphora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea gracilis* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea heteromalla* (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea hypoleuca* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea lappa* C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea obvallata* (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea sacra* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea schultzei* H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saussurea taraxacifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saxifraga diversifolia* WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saxifraga imbricata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saxifraga ligulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scabiosa speciosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scaevola frutescens* KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scaevola taccada* (GAERTN.) ROXB. N and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scapiflora* species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera elliptica* (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera hypoleuca* (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera shypoleucoids* HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera stellata* (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera venulosa* (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schefflera venulosum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schima wallichii* (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schinus molle* HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schisandra chinensis* (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schisandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schizachyrium exile* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schizaea dichotoma* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schizandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schizophyllum commune* FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schleichera oleosa* (LOUR.) OKEN and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schleicheria trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schleicheria trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schultzia benthami* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schweinfurthia papilionacea* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Schweinfurthia sphaerocarpa* A. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scilla coromandeliana* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scilla hohenackeri* FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scilla hyacinthina* (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scilla indica* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scindapsus officinalis* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus barbatus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus corymbosus* HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus grossus* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus kysoor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus lacustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scirpus tuberosus* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria hebecarpa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria levis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria lithosperma* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleria terrestris* (L.) FASS. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scolopia aculeata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scolopia crenata* CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scopolia lurida* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scopolia stramonifolia* (WALL.) SHRESTHA and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scorzonera virgata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scrophularia koelzii* PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scrophularia variegata* M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scurrula philippensis* (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria angulosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria assamica* MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria discolor* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria galericulata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria glandulosa* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria heydei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutellaria indica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutia indica* BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scutia myrtina* (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scyphiphora hydrophyllacea* GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sebastiania chamaelea* MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Secamone emetica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sechium edule* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Securinega suffruticosa* (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Securinega virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum asiaticum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum crassipes* WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum ewersii* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum multicaule* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum quadrifidum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum tibeticum* HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum tillacoides* DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum trifidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sedum wallichianum* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella bryopteris* (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella chrysocaulos* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella involvens* SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella krausiana* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella rupestris* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selaginella willdenowii* (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selinum candollei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selinum filicifolium* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selinum striatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selinum tenuifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Selinum vaginatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Semecarpus anacardium* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Semecarpus heterophylla* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Semecarpus kurzii* ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Semecarpus travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sempervium sedoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senebiera didyma* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio aureus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio bhutanicus* BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio cappa* DON and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio graciliflorus* . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio hohenackeri* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio jacquemontianus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio kraschennikovii* SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio laetus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio nudicaulis* HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio quinquelobus* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio scandens* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio tenuifolius* BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senecio vulgaris* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Senna prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Serenoa repens* (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum laciniatum* KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesamum prostratum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania aegyptiaca* POIR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania cannabina* RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania grandiflora* (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania paludosa* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania sesban* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania sesban* (L.) MERR. *bicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania sesban* (L.) MERR. *picta* (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania sesban* (L.) MERR. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania sesban* (L.) MERR. *sesban sesban* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesbania speciosa* TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Seseli diffusum* (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Seseli indicum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Seseli sibiricum* BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sesuvium portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria glauca* BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria italica* (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria planifolia* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria plicata* (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria verticillata* (L.) P. BEAUV. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Setaria viridis* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Shorea robusta* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Shorea roxburghii* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Shorea tumbaggaia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida acuta* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida carpinifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida cordata* (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida humilis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida lanceolata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida orientalis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida rhombifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida rhombifolia* L. *retusa* (L.) MASTERS and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida rhombifolia* L. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sideroxylon spinosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Siegesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Siegesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silene inflata* SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silene laxantha* MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silene moorcroftiana* WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silene vulgaris* (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silybum marianum* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sinapis alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sinapis chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sinapis juncea* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sinapis ramosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sison ammi* HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sisymbrium altissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sisymbrium irio* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sisymbrium loeselii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sisymbrium orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sisymbrium sophia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sium latijugam* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Skimmia arborescens* T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Skimmia laureola* (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax china* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax glaucophylla* KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax lanceifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax macrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax ocreata* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax ovalifolia* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax parvifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax perfoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax prolifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax pseudo-china* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax wightii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia conferta* J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia geminiflora* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Smithia sensitiva* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum aculeatissimum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum albicaule* KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum americanum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum anguivi* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum aviculare* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum capsicoides* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum ciliatum* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum denticulatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum dulcamara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum erianthum* D.DON and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum giganteum* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum gracilipes* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum hirsutum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum incanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum insanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum jacquini* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum khasianum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum kurzii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum laciniatum* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum lasiocarpum* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum lycopersicum* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum mauritianum* SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum melongena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum melongena* L. incanum KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum myriacanthum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum pseudocapsicum* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum pubescens* HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum sarmentosum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum seforthianum* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum sisymbirifolium* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum spirale* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum surattense* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum torvum* SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum verbascifolium* AUCT NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum viarum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum villosum* SCHUR. *puniceum* (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum violaceum* ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solanum xanthocarpum* SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solena amplexicaulis* (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Solena heterophylla* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus arvensis* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus asper* (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus brachytus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus maritimus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonchus wightianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila maculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila rheedei* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonerila tenera* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonneratia acida* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonneratia apetala* BUCH.-HAM. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonneratia caseolaris* (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sonneratia griffithii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sophora glauca* LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sophora griffithii* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sophora mollis* (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sophora tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sophora wightii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sopubia delphinifolia* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorbaria tomentosa* (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorbus aucuparia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorbus tianshanica* RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum bicolor* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum halepense* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum saccharatum* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sorghum vulgare* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Soymida febrifuga* (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sparganium stoloniferum* BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spathodea campanulata* P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spathoglottis plicata* BL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spatholobus parviflorus* (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spatholobus roxburghii* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacoe articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermacoe hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spermadictyon suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus hirtus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus microcephalus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaeranthus senegalensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphenoclea zeylanica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sphyrantha lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spilanthes acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spilanthes calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spilanthes oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spilanthes paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spinifex littoreus* (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea aruncus* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea bella* SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea canescens* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spiraea lindleyana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spondias acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spondias mangifera* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spondias mombin* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spondias pinnata* (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachyphrynium spicatum* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachys floccosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachys officinalis* (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachys palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachys parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Statice aegyptica* DELILE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stauranthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stauranthera umbrosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stellaria alsine* GRIMM. *undulata* (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stellaria aquatica* SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stellaria media* WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stellera chamaejasme* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stemodia viscosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stemona tuberosa* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenochlaena palustris* (N.BURM.) BEDD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenolobium stans* SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenoloma chinensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania glabra* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania glandulifera* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania hernandifolia* (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania japonica* (THUNB.) MIERS discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania japonica* (THUNB.) MIERS. *japonica* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia guttata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia rubiginosa* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia scaphigera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia urens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sterculia villosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum chelonoides* (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum colais* (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum neuranthrum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum personatum* (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum suaveolens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum tetragonum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stereospermum xylocarpum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Steudnera virosa* (KUNTH) PRAIN NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stichoneuron caudatum* RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stictocardia campanulata* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stipa tortilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga gesnerioides* (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga lutea* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Striga orobanchoides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthesacrocephalus* T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes auriculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes callosus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes ciliatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes consanguineus* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes dalhousianus* C.B. CLARKE NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes flaccidifolius* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes heyneanus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes kunthiana* T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes lupulinus* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes nobilis* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes wallichii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strobilanthes wightianus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stroemia tetrandra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strophanthus dichotomus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strophanthus wallichii* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strophanthus wightianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos aenea* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos axillaris* COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos cinnamomifolia* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos colubrina* AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos gaultheriana* PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos ignatia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos ignatii* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos maingayi* CLARKE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos minor* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos nux-bl* Kalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos rheedei* CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Strychnos wallichiana* STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Styllocoryne lucens* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stylosanthes fruticosa* (RETZ.) ALST. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Styrax benzoin* DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suaeda fruticosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suaeda monoica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Suregada multiflora* (JUSS.) BAILL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia alata* ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia cordata* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia decussata* NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia densiflora* (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia densifolia* (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia lawii* BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia minor* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swertia thomsonii* CL. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symphorema involucratum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symphorema polyandrum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos caudata* WALL. EX. G.DON and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos cochinchinensis* S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos cochinchinensis* S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos crataegoides* BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos monantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos paniculata* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos spicata* ROXB. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos sumuntia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Symplocos theaefolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Synedrella nodiflora* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium alternifolium* (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium aromaticum* (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium caryophyllaeum* AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium caryophyllatum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium cerasoideum* (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium cumini* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium hemisphericum* (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium heyneanum* WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium jambolana* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium jambolanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium jambos* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium neyneanum* (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium operculatum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana sphaerocarpa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tacca pinnatifida* J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tagetes minuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix aphylla* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix articulata* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix dioica* ROXB. EX. ROTH and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix ericoides* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix gallica* AUCTION. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix troupis* HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum dolichophyllum* KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum fruticulosum* LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum gracile* HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum longifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum tenuifolium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum tibeticum* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum tomentosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tanacetum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taraktogenos kurzii* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taraxacum officinale* WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taraxacum officinale* WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tarenna asiatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taverniera cuneifolia* (ROTH) ARN and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taverniera nummularia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxillus umbellifer* (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxus baccata* L. *wallichiana* Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Taxus wallichiana* ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tecoma capensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tecoma grandiflora* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tecoma radicans* JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tecoma stans* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tecoma undulata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tecomella undulata* (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tectaria coadunata* (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tectona grandis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Telosma pallida* (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia hamiltonii* J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia petrosa* BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia procumbens* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia purpurea* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia purpurea* PERS. pumila and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia senticosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia spinosa* PERS. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia tinctoria* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia uniflora* PERS. *petrosa* (BLATT. & HALLB.) GILLET & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia uniflora* PERS. *petrosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tephrosia villosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teramnus labialis* (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teramnus mollis* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia alata* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia bellerica* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia bellerica* ROXB. *laurinoides* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia bellirica* (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia bialata* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia chebula* RETZ. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia chebula* RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia citrina* FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia crenulata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia manii* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia oSkini* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia pallida* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia paniculata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia pyrifolia* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia reticulata* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Terminalia travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Termitomyces microcarpus* (BERK. & BR.) HEIM.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ternstroemia japonica* AUCT. NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetracera akara* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetracera laevis* AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetracera scandens* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrameles nudiflora* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetranthera roxburghii* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrastigma lanceolarium* (ROXB.) PLANCH and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetrastigma serrulata* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teucrium chamaedrys* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teucrium polium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teucrium scordium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Teucrium stocksianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum alpinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum cultratum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum dalzelli* HOOK. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum javanicum* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum minus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum pauciflorum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum pedunculatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum reniforme* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thamnia vermicularis* (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thea assamica* J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thecagonium biflorum* (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thelypteris gracilescens* (BL.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Themeda arguens* (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Themeda arundinacea* (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Themeda gigantea* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Themeda triandra* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Theobroma cacao* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Theriophonum infaustum* N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Theriophonum minutum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thespesia populnea* (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thevetia neriifolia* JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thomsonia nepalensis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia alata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia fragrans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia hawtayneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thunbergia laurifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thymus linearis* BENTH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thymus serpyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thysanolaena acarifera* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thysanolaena agrostis* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thysanolaena maxima* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thysanolaena procera* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tiaridium indicum* LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tiliacora acuminata* MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tiliacora racemosa* COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toddalia asiatica* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toddalia bilocularis* W. & A. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia parviflora* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia polygonoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia thouarsii* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Torenia vagans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tournefortia candollii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tournefortia montana* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tovara virginiana* (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Toxocarpus villosus* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachelospermum fragrans* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachelospermum lucidum* (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachycarpus martianus* H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachydium lehmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachyspermum ammi* (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachyspermum khasianum* (CI.) WOLFF. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trachyspermum roxburghianum* (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia bicolor* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia cannabina* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia involucrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragia plukenetii* A.RADCLIFFE-SMITH and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragopogon gracilis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragopogon porrifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tragopogon pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trapa bicornis* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trapa bispinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trapa natans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trema cannabina* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trema orientalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trevesia palmata* (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trewia polycarpa* BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema decandra* L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema govindia* BUCH.-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema monogyna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema pentandra* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trianthema triquetra* ROTTL. EX WILLD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tribulus alatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tribulus terrestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricalysia singularis* (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichilia spinosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichodesma africanum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichodesma indicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichodesma zeylanicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricholepis angustifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricholepis glaberrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricholepis montana* DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tricholepis procumbens* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichomanes javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichopus zeylanicus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes anaimalaiensis* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes anguina* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes cordata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes incisa* ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes lobata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes palmata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes tricuspidata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trichosanthes wallichiana* (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium alexandrium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium fragiferum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triglochin maritima* L. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella hamosa* (L.) WILLD. *uncata* (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella incisa* BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella occulta* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella polycerata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonella uncata* BOISS. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trigonostemon longifolius* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trillium govanianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trimufetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum amyleum* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum durum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum pilosum* (DALZ. & GIBS) NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum sativum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum spelta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triticum vulgare* WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta bartramia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta rotundifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta semitriloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Triumfetta tomentosa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tropaeolum minus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Trophis aspera* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tropidia curculigoides* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tuber cibarium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tulipa stellata* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turbina corymbosa* (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turnera angustifolia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turnera diffusa* WILLD. *APHRODISIACA* (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turpinia nepalensis* WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turpinia pomifera* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Turraea villosa* BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tussilago farfara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora asthmatica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora dalzelli* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora hirsuta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora indica* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora tenuis* BL. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tylophora tetrapetala* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typha angustata* BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typha australis* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typha elephantina* GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typha laxmannii* LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typhonium divaricatum* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typhonium flagelliforme* (LODD.) BL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typhonium roxburghii* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Typhonium trilobatum* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ulmus campestris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ulmus wallichiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uncaria cordata* (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uncaria gambier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uncaria sessilifructus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Unona narum* DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uria alopecuroides* WT. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria crinita* DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria hamosa* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uraria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urena lobata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urena sinuata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urginea coromandeliana* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urginea indica* (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urginea maritima* (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urginea nagarjunae* Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urtica ardens* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urtica dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urtica hyperborea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urtica parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Urtica pilulifera* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Usnea sikkimensis* BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Usnea flexilis* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Usnea florida* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Usnea hirta* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Usnea longissima* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Usnea rubicunda* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Usnea sikkimensis* BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Usnea venosa* MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uteleria sallicifolia* BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia salicifolia* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia bifida* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia gibbosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia reticulata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Utricularia stellaris* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria dulcis* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria ebracteolata* PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria hookeri* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria narum* (DUNAL) WALL EX WIGHT and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccaria pyramidata* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccinium leschenaultii* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccinium macrocarpon* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana brunoniana* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana dubia* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana hardwickii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana jatamansi* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana pyrolaefolia* DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Valeriana wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vallaris heynei* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vallaris pergulanus* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vallaris solanacea* (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam coerulea* GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam parviflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam roxburghii* R.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam spathulata* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam teres* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam tessellata* (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *VKalam testacea* (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vandellia erecta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vandellia pedunculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vandellia pyxidaria* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vangueria pubescens* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vangueria spinosa* SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vanilla planifolia* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vanilla wightiana* LINDL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vateria macrocarpa* B.L. GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vateria malabarica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vatica lancaefolia* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ventilago calycina* TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ventilago calyculata* TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ventilago denticulata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ventilago madraspatana* GAERTN. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veratrum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veratrum viride* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbascum chinense* (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbascum coromandelianum* (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbascum thapsus* PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbena nodiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verbesina calendulacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Verchellia farnesiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia albicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia anthelmintica* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia arborea* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia aspera* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia cinerea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia patula* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia pyramidale* (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia revoluta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia roxburghii* LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia squarrosa* (D.DON) LESS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vernonia teres* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica agrestis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica anagallis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica beccabunga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica biloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Veronica serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vetiveria zizanioides* (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum coriaceum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum cotinifolium* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum cylindricum* BUCH.-HAM. EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum foetidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum hebanthum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum nervosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum obovatum* WALT. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viburnum punctatum* BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicia faba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicia hirsuta* KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicia sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicoa auriculata* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vicoa indica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna aconitifolia* (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna adenantha* (MEYER) MARECHAI and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna angularis* (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna catjang* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna cylindrica* SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna dalzelliana* (O.KTZE ) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna grahmiana* (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna mungo* (L.) HEPPER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna pilosa* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna radiata* (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna trilobata* (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna unguicula* (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vigna vexillata* (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vinca major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vinca minor* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vinca parviflora* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vinca pusilla* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vinca rosea* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vincetoxicum album* (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola biflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola caespitosa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola cinerea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola diffusa* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola patrinii* GING. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola pilosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola serpens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola sylvestris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum articulatum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum monoicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum nepalense* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viscum orientale* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex agnus-castus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex altissima* L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex glabrata* F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex leucoxydon* SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex negundo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex negundo* L. *incisa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex negundo* L. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex paniculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex peduncularis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex pubescens* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitex trifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis adnata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis carnosus* (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis hastata* MIQ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis heyneana* ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis indica* W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis lanata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis objecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis pallida* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis parvifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis pedata* VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis planicaulis* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis polystachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis quadrangularis* WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis repens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis setosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis tomentosa* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vitis vitifolia* HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vittaria elongata* SW. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vittaria zosterifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viverra zibetha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Volkameria inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Volutarella divaricata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wagatea spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wahlenbergia marginata* (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Waldheimia glabra* (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Waldheimia stoliczki* (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Waldheimia tomentosa* (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wallichia disticha* T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wedelia chinensis* MERR. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wedelia wallichii* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wendlandia exerta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wendlandia heynei* (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wendlandia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wendlandia pendula* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wendlandia tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wikstroemia canescens* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wikstroemia ridleyi* GAMBLE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wikstroemia viridiflora* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Willughbeia edulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Withania coagulans* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Withania somnifera* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wolffia globosa* (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wollastonia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Woodfordia floribunda* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Woodfordia fruticosa* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia antidysenterica* GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia arborea* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia coccinea* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia tinctoria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia tomentosa* R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthium indicum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthium strumarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthophyllum arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthoxylum fraxineum* WILLD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xeromphis spinosa* (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xeromphis uliginosa* (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ximenia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylaria polymorpha* PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylia dolabriformis* BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylia xylocarpa* (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylocarpus granatum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylopiia parvifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylosma longifolium* CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xyris anceps* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xyris auceps* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xyris complanata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xyris indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xyris pauciflora* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Yucca aloifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Yucca filamentosa* WOOD and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zaleya decandra* (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zaleya govindia* (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zaleya pentandra* (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zalia decandra* (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zannichellia indica* ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zantedeschia aethiopica* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum acanthopodium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum alatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum budrunga* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum hamiltonianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum hostile* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum limonella* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum nitidum* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum ovalifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum oxphyllum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum rhetsa* (ROXB.) DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zanthoxylum triphyllum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zataria multiflora* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria hookeriana* ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria indica* (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria maysorensis* (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria scabra* (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zehneria umbellata* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zephyranthes ajax* SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zephyranthes grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zephyranthes rosea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zeuxine strateumatica* (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zeuxine sulcata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber capitatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber cassumunar* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber cernuum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber chrysanthum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber mioga* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber officinale* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber purpureum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber roseum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber rubens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber squarrosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zingiber zerumbet* ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zinnia elegans* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zizania caduciflora* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zizania latifolia* TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphora clinopodioides* M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphora tenuior* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus glabarata* HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus glabrata* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus jujuba* LAM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus mauritiana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus napeca* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus nummularia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus oenoplia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus oxyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus sativa* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus sororia* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus trinervia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus trinervius* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anemone rivularis* Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Clematis wightiana* Wall. ex Wight & Arn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Consolida ambigua* (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Naravelia zeylanica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus reniformis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ranunculus wallichianus* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Chimonanthus praecox*(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Acrotrema arnotianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dillenia suffruticosa* (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tetracera akara* (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Magnolia campbellii* Hook. f. & Thoms. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Michelia nilagirica* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alphonsea sclerocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Alphonsea zeylanica* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Annona cherimola* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artabotrys hexapetalus* (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Artabotrys zeylanicus* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cananga odorata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmos lawii* (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Desmos viridiflorus* (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus salicina* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus thwaitesii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miliusa eriocarpa* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miliusa montana* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miliusa nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miliusa tomentosa* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Miliusa wightiana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polyalthia tirunelveli*ensis M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Popowia beddomeana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sageraea dalzellii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria macropoda* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylopia parvifolia* (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Anamirta cocculus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus hirsutus* (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cocculus pendulus* (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coscinium fenestratum* (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclea arnottii* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Diplocisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis tinctoria* Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Berberis wightiana* Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Nymphaea rubra* Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Argemone mexicana* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Eschscholzia californica* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Mecanopsis wallichii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver caucasicum* Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver fugax* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Romneya coulteri* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Corydalis lutea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dicentra scandens* (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fumaria indica* ( Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barbarea intermedia* Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barbarea verna* (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Barbarea vulgaris* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica juncea* (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica nigra* (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica oleracea* L. var. *botrytis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica oleracea* L. var. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica oleracea* L. var. *gemmifera* Zenk. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica oleracea* L. var. *gongylodes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Brassica rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capsella bursa-pastoris* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardamine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardamine hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cardamine trichocarpa* Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Coronopus didymus* (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iberis amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Iberis umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Matthiola incana* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cadaba fruticosa* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis decidua* (Forsk.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis diversifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis fusifera* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis moonii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis spinosa* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome chelidonii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome felina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome hassleriana* Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome rutidosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome speciosa* Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Crateva magna* (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Steriphoma clemoides* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hybanthus enneaspermus* (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cochlospermum religiosum* (L.) Alston and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Aphloia theiformis* (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia thwaitesii* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Casearia wynadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia jangomas* (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Flacourtia montana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homalium jainii* A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homalium travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Hymenosporum flavum* (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum anamallayense* Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum dasycaulon* Miq. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum eugenioides* A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum napaulense* (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum neelgherrense* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum tetraspermum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum tobira* (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum umbellatum* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum undulatum* Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala arvensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala javana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala longifolia* Poir. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala persicariifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala telephioides* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala virgata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polygala wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Securidaca bracteata* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthophyllum flavescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Xanthophyllum manickamii* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Arenaria neelgerrensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerastium glomeratum* Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Drymaria villosa* Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Gypsophila elegans* M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpaea aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpaea diffusa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpaea spicata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Sagina saginoides* (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Scleranthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silene armeria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silene coeli - rosa* (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Silene gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Spergula arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stellaria media* (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Stellaria vestita* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Portulacaria afra* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Talinum triangulare* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatine ambigua* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Elatine triandra* Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calophyllum apetalum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Calophyllum austroindicum* Kosterm. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus vulgaris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Ziziphus xylopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zornia diphylla* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zornia gibbosa* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zosima absinthifolia* (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria pubescens* Lindl., *Zosima orientalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>,

**(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)**

For queries write at [pankajoudhia@gmail.com](mailto:pankajoudhia@gmail.com)